

ORDINANCE NO. 17-_____

AN ORDINANCE AMENDING SECTION 703 (WASTEWATER DISCHARGE; LIMITATIONS) OF PART 7 (PROHIBITIONS – LIMITATIONS ON WASTEWATER DISCHARGE) OF ARTICLE 5 (WASTEWATER TREATMENT CODE) OF CHAPTER 12 (UTILITIES) OF THE CODE OF THE CITY OF COLORADO SPRINGS 2001, AS AMENDED, PERTAINING TO WASTEWATER DISCHARGE

NOW, THEREFORE, BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF COLORADO SPRINGS:

Section 1. Section 703 (Wastewater Discharge; Limitations) of Part 7 (Prohibitions – Limitations on Wastewater Discharge) of Article 5 (Wastewater Treatment Code) of Chapter 12 (Utilities) of the Code of the City of Colorado Springs 2001, as amended, is amended to read as follows:

12.5.703: WASTEWATER DISCHARGE; LIMITATIONS:

* * *

B. Local Limitations: For each significant industrial user, the following tables set forth the local limits on the daily maximum limit (milligrams per liter) and maximum allowable industrial loading (pounds per day) of pollutants, as measured by a composite sample and related flow measurements taken during the user's operating day, unless elsewhere specified in this article or in the significant industrial user's wastewater discharge permit.

DISCHARGES TO THE LAS VEGAS STREET
WASTEWATER TREATMENT FACILITY

Pollutant	Mg/l	Lbs/Day
Arsenic (total)	0.465 0.062	
Cadmium (total)		0.480
Chromium (total)	0.733	
Copper (total)	2.90	
Fluoride (nondistilled)	56.3	
Lead (total)	1.41	
Manganese (total)		21.6 15.3
Mercury (total)	0.0032	
Nickel (total)	4.44 1.79	
Selenium (total)		9.98 3.48
Silver (total)	0.192	
Zinc (total)	13.4	

DISCHARGES TO THE J.D. PHILLIPS
WATER RECLAMATION FACILITY

Pollutant	Mg/l	Lbs/Day
Arsenic (total)	5.69 3.35	
Cadmium (total)		0.418 0.323
Chromium (total)	8.34	
Copper (total)	3.33	
Fluoride (nondistilled)	293 282	
Lead (total)	6.42	
Manganese (total)		4.41 2.44
Mercury (total)	0.0376 0.022	

Nickel (total)	19.6	
Selenium (total)		1.96
Silver (total)	0.183	
Zinc (total)	19.6	

* * *

Section 2. This ordinance shall be in full force and effect from and after its final adoption and publication as provided by Charter.

Section 3. Council deems it appropriate that this ordinance be published by title and summary prepared by the City Clerk and that this ordinance be available for inspection and acquisition in the office of the City Clerk.

Introduced, read, passed on first reading and ordered published this ____ day of _____, 2017.

Finally passed: _____

Council President

Mayor's Action:

- Approved on _____.
- Disapproved on _____, based on the following objections:

Mayor

Council Action After Disapproval:

- Council did not act to override the Mayor's veto.
- Finally adopted on a vote of _____, on _____.
- Council action on _____ failed to override the Mayor's veto.

Council President

ATTEST:

Sarah B. Johnson, City Clerk