

**PROJECT CONTACTS**

**APPLICANT/DEVELOPER**  
 G LIGHT EQUITY, LLC  
 5025 BOARDWALK DRIVE ST. 250  
 COLORADO SPRINGS, CO 80919  
 CONTACT: GAVIN LIGHT  
 EMAIL: GAVIN@GLIGHTEQUITY.COM

**ENGINEER**  
 ATWELL LLC  
 6200 S. SYRACUSE WAY, SUITE 470  
 GREENWOOD VILLAGE, CO, 80111  
 TEL: (303) 842-9191  
 CONTACT: KEVIN BLUMHARDT, P.E.  
 EMAIL: KBLUMHARDT@ATWELL-GROUP.COM

**SURVEYOR**  
 BARRON LAND  
 2790 N ACADEMY BLVD, SUITE 311  
 COLORADO SPRINGS, CO 80917  
 TEL: (719) 360-6827  
 FAX: (719) 466-6527  
 CONTACT: SPENCER BARRON, PLS


**ARCHITECT**  
 TDG ARCHITECTURE  
 201 E. LAS ANIMAS STREET STE. 113  
 COLORADO SPRINGS, CO 80903  
 TEL: (719) 623-5641  
 CONTACT: KRISTIN KOTERA, AIA

**LANDSCAPE ARCHITECT**  
 MATRIX DESIGN GROUP  
 2435 RESEARCH PARKWAY STE. 300  
 COLORADO SPRINGS, CO 80920  
 TEL: (719) 457-5612  
 CONTACT: ANDREA PAPIERSKI, PLA

# CONDITIONAL USE DEVELOPMENT PLAN

## CENTENNIAL BLVD. TOWNHOMES LOT 3 SAHIN SUBDIVISION

A PORTION OF THE NORTHWEST QUARTER OF SECTION 25, TOWNSHIP 13 SOUTH, RANGE 67 WEST OF THE 6TH P.M. CITY OF COLORADO SPRINGS, COUNTY OF EL PASO, STATE OF COLORADO



PROPOSED DEVELOPMENT SUMMARY TABLE	
SITE LOCATION	SE OF CENTENNIAL BLVD & GARDEN OF THE GODS RD. INTERSECTION
TAX SCHEDULE NUMBER	7325208191
CONCEPT PLAN	CENTENNIAL WEST CONCEPT PLAN; CPC P 83-99
EXISTING ZONING DISTRICT	PBC P CU (PLANNED BUSINESS CENTER/PLANNED PROVISIONAL OVERLAY/CONDITIONAL USE) [ORDINANCE NO. 83-121]; UDC: MX-M (MIXED USE-MEDIUM SCALE)
TOTAL ACREAGE	70,420 SF / 1.62 ACRES
EXISTING USES/BUILDINGS	VACANT COMMERCIAL LAND
PROPOSED USE	MULTI-FAMILY RESIDENTIAL
BUILDING SETBACKS	FRONT= 20'; SIDE=5'; REAR=25'
MAXIMUM BUILDING HEIGHT	45'
TOTAL BUILDING FOOTPRINT	BUILDING A=18,920 SF; BUILDING B=8,514 SF (946 SF PER UNIT)
MAX PERCENT OF LOT COVERAGE	40% (STRUCTURE) (IMPERVIOUS)
MIN DENSITY	900 SQ. FT (MIN LOT SIZE PER UNIT)
PROPOSED MIN DENSITY	946 SQ. FT (PER UNIT)
TOTAL UNITS	20
PARKING DATA	REQUIRED PROVIDED
STANDARD SPACES	40 40
ADA ACCESSIBLE SPACES	2 2
TOTAL SPACES	40 40

**GEOLOGIC HAZARD DISCLOSURE STATEMENT**

THIS PROPERTY IS SUBJECT TO THE FINDINGS, SUMMARY AND CONCLUSIONS OF A GEOLOGIC HAZARD REPORT PREPARED BY CIL THOMPSON, INC., DATED NOVEMBER 1, 2022, WHICH IDENTIFIED THE FOLLOWING SPECIFIC GEOLOGIC HAZARDS ON THE PROPERTY:  
 1. UNDOCUMENTED FILL ON THE NORTHEASTERN HALF OF THE LOT  
 2. EXPANSIVE SOIL WITH (LOW) SWELL POTENTIAL

A COPY OF SAID REPORT HAS BEEN PLACED WITHIN FILE CUDP-22-0014, OR WITHIN THE SUBDIVISION FILE OF THE CITY OF COLORADO SPRINGS PLANNING AND DEVELOPMENT TEAM. CONTACT THE PLANNING AND DEVELOPMENT TEAM, 30 SOUTH NEVADA AVENUE, SUITE 701, COLORADO SPRINGS, CO, IF YOU WOULD LIKE TO REVIEW SAID REPORT. PERFORM SETTLEMENT CALCULATIONS/ESTIMATES ON POTENTIAL DIFFERENTIAL SETTLEMENT OF SUBGRADE DURING DESIGN-LEVEL GEOTECHNICAL INVESTIGATIONS, FOR FOUNDATION TYPE DETERMINATION.

**DRAINAGE BASIN**

DOUGLAS CREEK DRAINAGE BASIN

**FLOODPLAIN INFORMATION**

ACCORDING TO THE FEDERAL EMERGENCY MANAGEMENT AGENCY (FEMA) FLOOD INSURANCE RATE MAP NUMBER 08041C0513G, EFFECTIVE DATE DECEMBER 7, 2018. THE PROJECT LIES OUTSIDE OF THE 100-YEAR AND 500-YEAR FLOODPLAINS.

**LEGAL DESCRIPTION**

LOT 3 SAHIN SUBDIVISION

**GENERAL SITE DESCRIPTION**

PROJECT DESCRIPTION:  
 CONSTRUCTION OF (2) MULTI-FAMILY RESIDENTIAL BUILDINGS WITH ASSOCIATED LANDSCAPING, PARKING, AND DRIVES. BUILDING A CONSISTS OF 11 UNITS, BUILDING B CONSISTS OF 9 UNITS.

SHEET LIST TABLE	
SHEET NUMBER	SHEET TITLE
01	COVER
02	SITE PLAN
03	PRELIMINARY GRADING
04	DEMOLITION AND VACATIONS PLAN
05	PRELIMINARY UTILITY AND PUBLIC FACILITIES PLAN
06	LANDSCAPE TITLESHEET
07	LANDSCAPE DETAILS
08	FINAL LANDSCAPE PLAN
09	IRRIGATION NOTES AND DETAILS
10	IRRIGATION PLAN
11	PHOTOMETRICS PLAN
12	LIGHTING FIXTURES SPECIFICATIONS
13	ARCHITECTURAL ELEVATIONS
14	ARCHITECTURAL ELEVATIONS

**VICINITY MAP**  
 1" = 1000'



**GENERAL NOTES**

- THE PROPERTY OWNER IS RESPONSIBLE FOR THE MAINTENANCE FOR SHARED COMMON TRACTS, ACCESS DRIVES, LANDSCAPE AREAS ADJACENT TO THEIR PROPERTY. LANDSCAPE IMPROVEMENTS AND MAINTENANCE SHALL BE THE RESPONSIBILITY OF THE OWNER AND/OR THEIR ASSIGNS.
- STREET TREES, STREETScape IMPROVEMENTS, AND VEGETATION WITHIN THE CITY RIGHT-OF-WAY SHALL BE MAINTAINED BY THE ABUTTING PROPERTY OWNER.
- SIGNAGE IS NOT APPROVED PER THIS PLAN. A SEPARATE SIGN PERMIT IS REQUIRED. CONTACT DEVELOPMENT REVIEW ENTERPRISE AT 719-385-5982 TO BEGIN A SIGN PERMIT APPLICATION.
- PER CITY CODE SECTION 7.4.102.D, ALL LIGHTING FIXTURES SHALL BE FULL CUT-OFF OR HAVE SHIELDING TO REDUCE OFF-SITE LIGHTING IMPACTS ONTO ADJACENT PROPERTIES AND ROADWAYS. ALL EXTERIOR LIGHTING SHALL BE ARRANGED TO MITIGATE LIGHT DIRECTED AWAY FROM ADJACENT PROPERTIES AND ANY PUBLIC RIGHT-OF-WAY. AN AMENDMENT TO THIS PLAN MAY BE REQUIRED IF THE LIGHTING TYPE IS CHANGED.
- ACCESSIBLE PARKING SPACES, ACCESS AISLES, AND SIGNAGE SHALL MEET ALL APPLICABLE CITY CODE REQUIREMENTS INCLUDING:
  - PARKING SPACES AND ACCESS AISLES SHALL BE LEVEL WITH SURFACE SLOPES NOT EXCEEDING ONE TO FIFTY (1:50) (2 PERCENT) IN ALL DIRECTIONS.
  - ACCESSIBLE PARKING SPACES SHALL BE MARKED WITH FOUR-INCH (4") LINES.
  - ACCESSIBLE AISLES SHALL BE OUTLINED AND DIAGONALLY STRIPED AT FORTY-FIVE-DEGREE (45°) ANGLES IN A CONTRASTING COLOR SUCH AS YELLOW, WHITE, OR BLUE.
  - EACH ACCESSIBLE PARKING SPACE SHALL BE DESIGNATED AS RESERVED BY A SIGN SHOWING THE INTERNATIONAL SYMBOL OF ACCESSIBILITY. VAN ACCESSIBLE SPACES SHALL HAVE AN ADDITIONAL SIGN CONTAINING THE DESIGNATION, "VAN ACCESSIBLE", MOUNTED BELOW THE SYMBOL OF ACCESSIBILITY. EACH ACCESSIBLE PARKING SPACE SIGN SHALL BE NO SMALLER THAN EIGHTEEN INCHES (18") TALL BY TWELVE INCHES (12") WIDE. EACH VAN ACCESSIBLE SIGN SHALL BE NO SMALLER THAN SIX INCHES (6") TALL BY TWELVE INCHES (12") WIDE. SIGNS SHALL BE LOCATED AT THE HEAD OF THE SPACE WITH THE BOTTOM OF THE SIGN(S) BETWEEN FIVE FEET (5') AND SEVEN FEET (7') ABOVE THE FINISH FLOOR OR GROUND SURFACE.
- THE MINERAL ESTATE OWNER NOTIFICATION CERTIFICATION AFFIDAVIT WAS SUBMITTED AND CAN BE FOUND IN THE FILE NO. CUDP-22-0014. THE APPLICANT (OR PROPERTY OWNER) HAS ATTESTED THERE ARE NO SEPARATE MINERAL ESTATE OWNER(S) IDENTIFIED AND NO FURTHER ACTION WAS TAKEN.
- THERE ARE NO SIGNIFICANT NATURAL FEATURES LOCATED UPON THIS PROPERTY.
- THE APPROXIMATE SCHEDULE OF DEVELOPMENT IS TO START CONSTRUCTION FALL OF 2023 AND BE COMPLETE BY FALL OF 2024.
- THE PARTIES RESPONSIBLE FOR THIS PLAN HAVE FAMILIARIZED THEMSELVES WITH ALL CURRENT ACCESSIBILITY CRITERIA AND SPECIFICATIONS AND THE PROPOSED PLAN REFLECTS ALL SITE ELEMENTS REQUIRED BY THE APPLICABLE ADA DESIGN STANDARDS AND GUIDELINES AS PUBLISHED BY THE UNITED STATES DEPARTMENT OF JUSTICE. APPROVAL OF THIS PLAN BY THE CITY OF COLORADO SPRINGS DOES NOT ASSURE COMPLIANCE WITH THE ADA OR ANY OTHER FEDERAL OR STATE ACCESSIBILITY LAWS OR ANY REGULATIONS OR GUIDELINES ENACTED OR PROMULGATED UNDER OR WITH RESPECT TO SUCH LAWS. SOLE RESPONSIBILITY FOR COMPLIANCE WITH FEDERAL AND STATE ACCESSIBILITY LAWS LIES WITH THE PROPERTY OWNER.
- ALL CURB, GUTTER, PEDESTRIAN RAMPS AND SIDEWALK POSING A SAFETY HAZARD, EXHIBITING EXCESSIVE DETERIORATION, DAMAGED OR DOES NOT MEET CURRENT CITY ENGINEERING STANDARDS ALONG THE PUBLIC RIGHT-OF-WAY (ROW) ADJACENT TO THE SITE WILL NEED TO BE REMOVED AND REPLACED PRIOR TO THE ISSUANCE OF THE CERTIFICATE OF OCCUPANCY (C.O.). AN ON-SITE MEETING CAN BE SET UP WITH THE ENGINEERING DEVELOPMENT REVIEW (EDRD) INSPECTOR TO DETERMINE WHAT, IF ANY IMPROVEMENTS ARE REQUIRED. THE EDRD INSPECTOR CAN BE REACHED AT 719-385-5977.
- ALL TRAFFIC RELATED "SIGNS", "STRIPING" OR "CONTROL DEVICES" WILL BE INSTALLED BY THE DEVELOPER AT THE LOCATIONS SHOWN ON THE DEVELOPMENT PLAN TO MEET MUTCD STANDARDS. CONTACT TRAFFIC ENGINEERING, SIGNS & MARKINGS AT 719-385-6720 FOR ASSISTANCE.
- THERE SHALL BE NO PARKING ON INTERNAL ACCESS ROADS.
- THE DEVELOPER MUST MAKE FINANCIAL ARRANGEMENTS FOR THE PERPETUAL OWNERSHIP AND MAINTENANCE OF PRIVATE STREETS TO INCLUDE LIFE-CYCLE REPAIR AND REPLACEMENT OF THE FACILITIES.
- THE OPERATION AND MAINTENANCE OF ALL AREAS WITHIN TO BE PLATTED LOT 3, SAHIN SUBDIVISION SHALL BE THE RESPONSIBILITY OF THE OWNER.
- PRIVATE FACILITIES AND COMMON AREAS ARE TO BE MAINTAINED BY THE OWNER. THESE FACILITIES INCLUDE BUT ARE NOT LIMITED TO: PAVED DRIVE AISLES WITHIN PRIVATE ACCESS EASEMENTS, PAVED PARKING LOTS, LANDSCAPED AREAS AND COMMON SPACE AMENITIES.
- PUBLIC FACILITIES ARE PROPOSED WITHIN THE PROPERTY INCLUDING THE PUBLIC WASTEWATER MAIN, ELECTRIC LINES, AND GAS LINES WHICH ARE TO BE FURNISHED AND INSTALLED BY THE DEVELOPER AND MAINTAINED BY COLORADO SPRINGS UTILITIES.
- EXISTING PRIVATE AND PUBLIC UTILITY AND ACCESS EASEMENTS TO BE VACATED VIA REAL ESTATE SERVICES.
- SEE FINAL PLAT APPLICATION FOR EXISTING AND FINAL PLAT CONDITIONS FOR EXISTING AND PROPOSED PRIVATE AND PUBLIC UTILITY AND ACCESS EASEMENTS.
- CONSTRUCTION SEQUENCING IS ANTICIPATED TO BEGIN WITH PRIVATE WET UTILITY INSTALLATIONS AND TRENCH/ROADWAY RESTORATION FOLLOWED BY OVERLOT SURFACE ROUGHENING AND GRADING, UTILITY SERVICE INSTALLATIONS AND STUBBING, FOUNDATION EXCAVATION, THEN VERTICAL CONSTRUCTION OF THE BUILDING. PAVING AND FLATWORK ARE TO OCCUR DURING VERTICAL CONSTRUCTION. PERMANENT STABILIZATION AND LANDSCAPING ARE ANTICIPATED TO OCCUR IN SUMMER OF 2023. INITIAL, INTERIM, AND FINAL EROSION AND SEDIMENT CONTROL MEASURES ARE TO BE IN PLACE DURING CONSTRUCTION ACTIVITY PER CITY APPROVED G.E.C. PLAN AND STORMWATER MANAGEMENT PLAN.
- RENTERS SHOULD BE NOTIFIED THAT PARKING ON ADJACENT PROPERTIES IS NOT ALLOWED. VIOLATION OF PARKING BETWEEN THIS PROJECT AND ADJACENT PROPERTIES WILL BE A CIVIL ISSUE. PER CITY CODE SECTION 7.4.204(C)(1)(D)(1), "SHARED PARKING AGREEMENTS MUST BE MEMORIALIZED IN A WRITTEN AGREEMENT THAT PROVIDES FOR SHARED PARKING AND THE WRITING IS RECORDED IN THE OFFICE OF THE COUNTY CLERK AND RECORDER."
- THE PROPOSED PRIVATE FULL SPECTRUM DETENTION BASIN IS TO BE OWNED AND MAINTAINED BY THE ESTABLISHED HOMEOWNER'S ASSOCIATION.

**811**  
 Know what's below.  
 Call before you dig.

THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE NOT BEEN INDEPENDENTLY VERIFIED BY THE CONTRACTOR. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

NOTICE: CONSTRUCTION SITE SAFETY IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR. NEITHER THE OWNER NOR THE ENGINEER SHALL BE EXPECTED TO ASSUME ANY RESPONSIBILITY FOR SAFETY OF THE WORK OF PERSONS ENGAGED IN THE WORK, OF ANY NEARBY STRUCTURES, OR OF ANY OTHER PERSONS.

COPYRIGHT © 2024 ATWELL LLC. NO REPRODUCTION SHALL BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF ATWELL LLC.

**ATWELL**  
 866.850.4200 www.atwell-group.com  
 143 UNION BOULEVARD, SUITE 700  
 LAKEWOOD, CO 80228  
 303.462.1100

G LIGHT EQUITY 5025 BOARDWALK DRIVE STE. 250 COLORADO SPRINGS, COLORADO 80919	GAVIN LIGHT 719.310.6228
G LIGHT EQUITY CENTENNIAL BOULEVARD TOWNHOMES SAHIN SUBDIVISION LOT 3 COLORADO SPRINGS, COLORADO	COVER CONDITIONAL USE DEVELOPMENT PLAN

CLIENT: \_\_\_\_\_ DATE: 08/16/2022

A 1st SUBMITTAL TO CITY 08/13/2022 - RBL	REVISIONS
B 2nd SUBMITTAL TO CITY 08/16/2022 - RBL	
C 3rd SUBMITTAL TO CITY 10/13/2022 - RBL	
D 4th SUBMITTAL TO CITY 08/01/2023 - KMB	

DR. EAF | CH. KMB  
 P.M. KMB  
 JOB: 21002776  
 SHEET NO. 01

FILE NO. CUDP-22-0014

**SITE FEATURES LEGEND:**

- ① 6' ATTACHED CONCRETE SIDEWALK
- ② CITY OF CO SPGS TYPE 3 CONCRETE CURB AND GUTTER (FLOW CONDITION UNLESS OTHERWISE NOTED)
- ③ ASPHALT PAVEMENT
- ④ CONCRETE PAVEMENT
- ⑤ LANDSCAPING AREA (RIVER ROCK)
- ⑥ CONCRETE DRAIN PAN
- ⑦ ADA CURB RAMP
- ⑧ LANDSCAPED AREA
- ⑨ FIRE LANE - NO PARKING SIGN
- ⑩ FIRE LANE - CURB STRIPING
- ⑪ RETAINING WALL
- ⑫ PARKING COUNT

**NOTES**

- FIRE LANE - NO PARKING SIGNS ARE TO BE INSTALLED PER COLORADO SPRINGS FIRE DEPARTMENT SPECIFICATIONS ALONG NORTHWEST AND SOUTHEAST ALLEYS.



THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE NOT BEEN INDEPENDENTLY VERIFIED BY THE OWNER OR ITS REPRESENTATIVE. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

NOTICE: CONSTRUCTION SITE SAFETY IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR. NEITHER THE OWNER NOR THE ENGINEER SHALL BE EXPECTED TO ASSUME ANY RESPONSIBILITY FOR SAFETY OF THE WORK OF PERSONS ENGAGED IN THE WORK OF ANY NEARBY STRUCTURES, OR OF ANY OTHER PERSONS.

COPYRIGHT © 2023 ATWELL LLC. NO REPRODUCTION SHALL BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF ATWELL LLC.



**G LIGHT EQUITY**  
5025 BOARDWALK DRIVE STE. 250  
COLORADO SPRINGS, COLORADO 80919  
719.310.6228  
GAVIN LIGHT

**G LIGHT EQUITY**  
CENTENNIAL BOULEVARD TOWNHOMES  
SAHIN SUBDIVISION LOT 3  
COLORADO SPRINGS, COLORADO  
CONDITIONAL USE DEVELOPMENT PLAN  
SITE PLAN

DATE: 08/16/2022

A	1st SUBMITTAL TO CITY	08/13/2022	- RBL
B	2nd SUBMITTAL TO CITY	08/16/2022	- RBL
C	3rd SUBMITTAL TO CITY	10/13/2022	- RBL
D	4th SUBMITTAL TO CITY	08/01/2023	- KMB

REVISIONS

CITY STAMP:






DR. EAF CH. KMB

P.M. KMB

JOB: 21002776

SHEET NO. 02

FILE NO. CUDP-22-0014





THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE NOT BEEN INDEPENDENTLY VERIFIED BY THE OWNER OR ITS REPRESENTATIVE. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

NOTICE: CONSTRUCTION SITE SAFETY IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR. NEITHER THE OWNER NOR THE ENGINEER SHALL BE EXPECTED TO ASSUME ANY RESPONSIBILITY FOR SAFETY OF THE WORK OF PERSONS ENGAGED IN THE WORK, OF ANY NEARBY STRUCTURES, OR OF ANY OTHER PERSONS.

COPYRIGHT © 2023 ATWELL LLC. NO REPRODUCTION SHALL BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF ATWELL LLC.

**ATWELL**  
 866.850.4200 www.atwell-group.com  
 143 UNION BOULEVARD, SUITE 700  
 LAKEWOOD, CO 80228  
 303.462.1100

**G LIGHT EQUITY**  
 5025 BOARDWALK DRIVE STE. 250  
 COLORADO SPRINGS, COLORADO 80919  
 719.310.6228  
 GAVIN LIGHT

**G LIGHT EQUITY**  
 CENTENNIAL BOULEVARD TOWNHOMES  
 SAHIN SUBDIVISION LOT 3  
 COLORADO SPRINGS, COLORADO  
 CONDITIONAL USE DEVELOPMENT PLAN  
 PRELIMINARY GRADING


CLIENT: G LIGHT EQUITY  
 DATE: 08/16/2022

A	1st SUBMITTAL TO CITY	08/13/2022	- RDL
B	2nd SUBMITTAL TO CITY	08/28/2022	- RDL
C	3rd SUBMITTAL TO CITY	10/13/2022	- RDL
D	4th SUBMITTAL TO CITY	08/01/2023	- KMB

REVISIONS	


DR. EAF	CH. KMB
P.M. KMB	
JOB: 21002776	
SHEET NO. 03	

CAD FILE: 21002776-GRADING & DRAINAGE.DWG




**LEGEND**

- SITE BOUNDARY
- PROPOSED CURB & GUTTER
- EXISTING CURB & GUTTER
- EXISTING SIDEWALK
- PROPOSED FENCE
- PROPOSED CONCRETE PAVEMENT
- PROPOSED ASPHALT PAVEMENT
- PROPOSED RIVER ROCK
- PROPOSED GRASS
- PROPOSED BUILDING
- PROPOSED EASEMENT
- EXISTING EASEMENT
- PROPOSED RETAINING WALL
- PROPOSED STORM INLET
- PROPOSED STORM MANHOLE
- EXISTING STORM MAIN
- PROPOSED STORM MAIN
- EXISTING TREE
- EXISTING CONTOUR
- PROPOSED CONTOUR
- PIA (0.161 AC)




CITY STAMP:



**CAUTION – NOTICE TO CONTRACTOR**

- ALL UTILITY LOCATIONS SHOWN ARE BASED ON MAPS PROVIDED BY THE APPROPRIATE UTILITY COMPANY AND FIELD SURFACE EVIDENCE AT THE TIME OF SURVEY AND IS TO BE CONSIDERED AN APPROXIMATE LOCATION ONLY. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD VERIFY THE FIELD LOCATION OF ALL UTILITIES, PUBLIC OR PRIVATE, WHETHER SHOWN ON THE PLANS OR NOT, PRIOR TO CONSTRUCTION. REPORT ANY DISCREPANCIES TO THE ENGINEER PRIOR TO CONSTRUCTION.
- WHERE A PROPOSED UTILITY CROSSES AN EXISTING UTILITY, IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD VERIFY THE HORIZONTAL AND VERTICAL LOCATION OF SUCH EXISTING UTILITY, EITHER THROUGH POT-HOLING OR ALTERNATIVE METHOD. REPORT INFORMATION TO THE ENGINEER PRIOR TO CONSTRUCTION.



**Know what's below. Call before you dig.**

THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE NOT BEEN INDEPENDENTLY VERIFIED BY THE OWNER OR ITS REPRESENTATIVE. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

NOTICE: CONSTRUCTION SITE SAFETY IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR. NEITHER THE OWNER NOR THE ENGINEER SHALL BE EXPECTED TO ASSUME ANY RESPONSIBILITY FOR SAFETY OF THE WORK OF PERSONS ENGAGED IN THE WORK, OF ANY NEARBY STRUCTURES, OR OF ANY OTHER PERSONS.

COPYRIGHT © 2023 ATWELL LLC. NO REPRODUCTION SHALL BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF ATWELL LLC.



**ATWELL**  
www.atwell-group.com  
866.850.4200  
143 UNION BOULEVARD, SUITE 700  
LAKEWOOD, CO 80228  
303.462.1100

**G LIGHT EQUITY**  
5025 BOARDWALK DRIVE STE. 250  
COLORADO SPRINGS, COLORADO 80919  
719.310.6228  
GAVIN LIGHT

**G LIGHT EQUITY**  
CENTENNIAL BOULEVARD TOWNHOMES SAHIN SUBDIVISION LOT 3 COLORADO SPRINGS, COLORADO  
CONDITIONAL USE DEVELOPMENT PLAN  
DEMOLITION AND VACATION PLAN


CLIENT: CENTENNIAL BOULEVARD TOWNHOMES SAHIN SUBDIVISION LOT 3 COLORADO SPRINGS, COLORADO

DATE: 08/16/2022

A	1st SUBMITTAL TO CITY	08/13/2022	- RDL
B	2nd SUBMITTAL TO CITY	08/16/2022	- RDL
C	3rd SUBMITTAL TO CITY	10/13/2022	- RDL
D	4th SUBMITTAL TO CITY	08/01/2023	- KMB


REVISIONS

DR.	EAF	CH.	KMB
P.M.	KMB		
JOB	21002776		
SHEET NO.	04		



**LEGEND**

---	SITE BOUNDARY
----	EXISTING CURB & GUTTER
----	EXISTING SIDEWALK
----	EXISTING EASEMENT
XXXXXX	UTILITY DEMO/REMOVAL
XXXXXX	CURB & GUTTER REMOVAL
1	TREE REMOVAL
---	EXISTING GAS LINE
---	EXISTING WATER LINE
---	EXISTING SANITARY LINE
---	EXISTING ELECTRICAL LINE
---	EXISTING COMM/FO LINE
---	EXISTING STORM SEWER LINE



GENERAL NOTES FOR PRELIMINARY UTILITY PLANS

- PROPERTY OWNER(S) ACKNOWLEDGE AND AGREE TO THE FOLLOWING UPON APPROVAL OF PRELIMINARY UTILITY PLAN:
  - COLORADO SPRINGS UTILITIES (SPRINGS UTILITIES) SHALL MAKE THE FINAL DETERMINATION OF THE LOCATION OF ALL WATER, WASTEWATER, ELECTRIC AND GAS FACILITIES, WHICH MAY NOT BE THE SAME LOCATION AS SHOWN ON THIS PRELIMINARY UTILITY PLAN.
  - PROPERTY OWNER(S) ("OWNER") ACKNOWLEDGES THAT THE CONNECTION AND/OR EXTENSION OF UTILITY SERVICE TO THE PROPERTY IDENTIFIED IN THIS PRELIMINARY UTILITY PLAN ("STANDARDS"), TARIFFS, COLORADO SPRINGS CITY CODE, RESOLUTIONS, AND POLICIES, AND PIKES PEAK REGIONAL BUILDING DEPARTMENT CODES, IN EFFECT AT THE TIME OF UTILITY SERVICE CONNECTION AND/OR EXTENSION.
  - OWNER ACKNOWLEDGES RESPONSIBILITY FOR THE COSTS OF EXTENSIONS OR UTILITY SYSTEM IMPROVEMENTS THAT SPRINGS UTILITIES DETERMINES NECESSARY TO PROVIDE UTILITY SERVICES TO THE PROPERTY OF TO ENSURE TIMELY DEVELOPMENT OF INTEGRATED UTILITY SYSTEMS SERVING THE PROPERTY AND AREAS OUTSIDE THE PROPERTY (INCLUDING THE COSTS TO DESIGN AND INSTALL WATER SYSTEMS, WASTEWATER COLLECTION SYSTEMS, AND ANY GAS OR ELECTRIC LINES TO AND WITHIN THE PROPERTY) OWNER MAY BE ELIGIBLE FOR A COST RECOVERY AGREEMENT AS PROVIDED IN UTILITIES RULES AND REGULATIONS.
  - SPRINGS UTILITIES UTILITY SERVICES ARE AVAILABLE ON A 'FIRST-COME, FIRST-SERVED' BASIS, AND THEREFORE NO SPECIFIC ALLOCATIONS OR AMOUNTS OF UTILITY SERVICES, FACILITIES, CAPACITIES OR SUPPLIES ARE RESERVED FOR THE OWNER, AND SPRINGS UTILITIES MAKES NO COMMITMENT AS TO THE AVAILABILITY OF ANY UTILITY SERVICE UNTIL SUCH TIME AS AN APPLICATION FOR THE PERMANENT SERVICE IS APPROVED BY SPRINGS UTILITIES.
  - THE RELOCATION OR ALTERATION OF ANY EXISTING UTILITY FACILITIES WITHIN THE PROPERTY WILL BE AT THE OWNER'S SOLE COST AND EXPENSE. IF SPRINGS UTILITIES DETERMINES THAT OWNER'S RELOCATION OR ALTERATION REQUIRES NEW OR UPDATED EASEMENTS, OWNER SHALL CONVEY THOSE EASEMENTS PRIOR TO RELOCATING OR ALTERING THE EXISTING UTILITY FACILITIES.
  - OWNER SHALL DEDICATE BY PLAT AND/OR CONVEY BY RECORDED DOCUMENT, ALL PROPERTY AND EASEMENTS THAT SPRINGS UTILITIES DETERMINES ARE REQUIRED FOR ALL UTILITY SYSTEM FACILITIES NECESSARY TO SERVE THE PROPERTY OR TO GRANTED BY SEPARATE INSTRUMENT SHALL UTILIZE SPRINGS UTILITIES' THEN - CURRENT PERMANENT EASEMENT AGREEMENT FORM.
  - THE WATER SYSTEM FACILITIES MUST MEET SPRINGS FOR WATER QUALITY, RELIABILITY AND PRESSURE, INCLUDING LOOPING REQUIREMENTS (SEE SPRINGS UTILITIES LINE EXTENSION AND SERVICE STANDARDS).
  - OWNER RECOGNIZES THAT THE EXTENSION OF WATER SYSTEM FACILITIES MAY AFFECT THE QUALITY OF WATER IN THE SPRINGS UTILITIES WATER SYSTEM. WHEN WATER QUALITY IS AFFECTED, OWNER ACKNOWLEDGES RESPONSIBILITY FOR ANY COSTS THAT SPRINGS UTILITIES DETERMINES NECESSARY IN ORDER TO MAINTAIN WATER QUALITY IN ITS SYSTEM AS A RESULT OF OWNERS WATER SYSTEM EXTENSION. OWNER MAY BE REQUIRED TO SUBMIT A WATER QUALITY PLAN FOR THE PROJECT.
  - OWNER MUST CONTACT SPRINGS UTILITIES FIELD ENGINEERING TO DETERMINE THE LOCATION OF ALL NATURAL GAS AND ELECTRIC METERS AND TRANSFORMERS AND TO SECURE APPROVAL OF GAS-SERVICE-LINE PRESSURES IN EXCESS OF SPRINGS UTILITIES STANDARD GAS SYSTEM PRESSURE. (CONTACT FIELD ENGINEERING NORTH 668-4985 OR SOUTH 668-5564).
  - IT SHALL NOT BE PERMISSIBLE FOR ANY PERSON TO MODIFY THE GRADE OF THE EARTH WITHIN ANY SPRINGS UTILITIES EASEMENT OR RIGHTS OF WAY WITHOUT THE WRITTEN APPROVAL OF SPRINGS UTILITIES. IMPROVEMENTS, STRUCTURES AND TREES SHALL NOT BE LOCATED WITHIN UTILITY EASEMENT, SHALL NOT VIOLATE NATIONAL ELECTRIC SAFETY CODE (NEC) PROVISIONS AND CLEARANCES, AND SHALL NOT IMPAIR ACCESS OR THE ABILITY TO MAINTAIN UTILITY FACILITIES.
  - SPRINGS UTILITIES APPROVAL OF THIS PRELIMINARY UTILITY PLAN SHALL NOT BE CONSTRUED AS A LIMITATION UPON THE AUTHORITY OF SPRINGS UTILITIES TO APPLY ITS STANDARDS; AND IF THERE ARE ANY CONFLICTS BETWEEN ANY APPROVES DRAWINGS AND ANY PROVISION OF STANDARDS OR THE CITY CODE, THEN THE STANDARDS OR CITY CODE SHALL APPLY. SPRINGS UTILITIES' APPROVAL OF THIS PRELIMINARY UTILITY PLAN SHALL NOT BE CONSTRUED AS A LIMITATION UPON THE AUTHORITY OF THE CITY OF COLORADO SPRINGS OR SPRINGS UTILITIES TO ADOPT DIFFERENT ORDINANCES, RULES, REGULATIONS, POLICIES OF CODES WHICH CHANGE ANY OF THE PROVISIONS OF THE STANDARDS SO LONG AS THESE APPLY TO THE CITY GENERALLY AND ARE IN ACCORDS WITH THE THEN-CURRENT TARIFFS, RATES AND POLICIES OF SPRINGS UTILITIES.
  - ALL PRIVATE TO PUBLIC STORM SEWER CONNECTIONS MUST BE INSPECTED BY AN ENGINEERING DEVELOPMENT REVIEW DIVISION (EDRD) INSPECTOR. THE EDRD INSPECTOR CAN BE REACHED AT 719-385-5977.

CAUTION - NOTICE TO CONTRACTOR

- ALL UTILITY LOCATIONS SHOWN ARE BASED ON MAPS PROVIDED BY THE APPROPRIATE UTILITY COMPANY AND FIELD SURFACE EVIDENCE AT THE TIME OF SURVEY AND IS TO BE CONSIDERED AN APPROXIMATE LOCATION ONLY. IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD VERIFY THE FIELD LOCATION OF ALL UTILITIES, PUBLIC OR PRIVATE, WHETHER SHOWN ON THE PLANS OR NOT, PRIOR TO CONSTRUCTION. REPORT ANY DISCREPANCIES TO THE ENGINEER PRIOR TO CONSTRUCTION.
- WHERE A PROPOSED UTILITY CROSSES AN EXISTING UTILITY, IT IS THE CONTRACTOR'S RESPONSIBILITY TO FIELD VERIFY THE HORIZONTAL AND VERTICAL LOCATION OF SUCH EXISTING UTILITY, EITHER THROUGH POT-HOLING OR ALTERNATIVE METHOD. REPORT INFORMATION TO THE ENGINEER PRIOR TO CONSTRUCTION.


**811**  
Know what's below.  
Call before you dig.

THE LOCATIONS OF EXISTING UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE NOT BEEN FIELD VERIFIED. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES.

NOTICE: CONSTRUCTION SITE SAFETY IS THE SOLE RESPONSIBILITY OF THE CONTRACTOR. NEITHER THE OWNER NOR THE ENGINEER SHALL BE EXPECTED TO ASSURE ANY RESPONSIBILITY FOR SAFETY OF THE WORK OF PERSONS ENGAGED IN THE WORK OF ANY NEARBY STRUCTURES OR OF ANY OTHER PERSONS.

COPYRIGHT © 2023 ATWELL LLC. NO REPRODUCTION SHALL BE MADE WITHOUT THE PRIOR WRITTEN CONSENT OF ATWELL LLC.

**ATWELL**  
866.850.4200 www.atwell-group.com  
143 UNION BOULEVARD, SUITE 700  
LAKEWOOD, CO 80228  
303.462.1100



**LEGEND**

[Symbol]	SITE BOUNDARY
[Symbol]	PROPOSED CURB & GUTTER
[Symbol]	EXISTING CURB & GUTTER
[Symbol]	EXISTING SIDEWALK
[Symbol]	PROPOSED CONCRETE PAVEMENT
[Symbol]	PROPOSED BUILDING
[Symbol]	PROPOSED EASEMENT
[Symbol]	EXISTING EASEMENT
[Symbol]	GAS
[Symbol]	EXISTING GAS LINE
[Symbol]	EXISTING STORM PIPE
[Symbol]	EXISTING WATER LINE
[Symbol]	EXISTING SANITARY LINE
[Symbol]	EXISTING ELECTRICAL LINE
[Symbol]	EXISTING COMM/FO LINE
[Symbol]	PROPOSED STORM SEWER LINE
[Symbol]	GAS
[Symbol]	PROPOSED GAS LINE
[Symbol]	PROPOSED ELECTRIC LINE
[Symbol]	PROPOSED SANITARY SEWER
[Symbol]	PROPOSED WATER LINE
[Symbol]	PROPOSED HYDRANT
[Symbol]	PROPOSED WATER VALVE
[Symbol]	PROPOSED WATER BEND FITTING

**G LIGHT EQUITY**  
5025 BOARDWALK DRIVE STE. 250  
COLORADO SPRINGS, COLORADO 80919  
719.310.6228  
GAVIN LIGHT

**G LIGHT EQUITY**  
CENTENNIAL BOULEVARD TOWNHOMES  
SAHIN SUBDIVISION LOT 3  
COLORADO SPRINGS, COLORADO  
CONDITIONAL USE DEVELOPMENT PLAN  
PRELIMINARY UTILITY AND PUBLIC FACILITIES PLAN

CLIENT: CREEKVIEW TOWNHOMES FILING No. 1  
CURRENT OWNER(S): CREEKVIEW TOWNHOME OWNERS' ASSOCIATION

DATE: 08/16/2022

A	1st SUBMITTAL TO CITY	08/13/2022	- RBL
B	2nd SUBMITTAL TO CITY	08/16/2022	- RBL
C	3rd SUBMITTAL TO CITY	10/13/2022	- RBL
D	4th SUBMITTAL TO CITY	08/01/2023	- KMB



REVISIONS

DR.	EAF	CH.	KMB
P.M.	KMB		
JOB	21002776		
SHEET NO.	05		

FILE NO. CUDP-22-0014

CAD FILE: 21002776-UTILITY PLANS.DWG







**NOTES:**

- CONTRACTOR TO WATER PLANT MATERIAL DAILY UNTIL AN AUTOMATIC IRRIGATION SYSTEM IS OPERATIONAL OR OTHER IRRIGATION PROVISIONS ARE PROVIDED.
- THE FINISH GRADES SHALL PROVIDE POSITIVE DRAINAGE AWAY FROM WALLS AND BUILDINGS.
- THE TILLING OF PLANTING BEDS AND PLACEMENT OF BACKFILL IS TO OCCUR JUST PRIOR TO PLANTING; THEREAFTER, PROTECTION FROM COMPACTION AND CONSTRUCTION TRAFFIC SHOULD BE PROVIDED.

**1 DECIDUOUS TREE**  
NTS MS-STD-LS-01

**2 SHRUBS**  
NTS MS-STD-LS-03




**NOTES:**

- CONTRACTOR TO KEEP PLANTS MOIST AND SHADED UNTIL PLANTING.
- CONTRACTOR TO WATER PLANT MATERIAL DAILY UNTIL AN AUTOMATIC IRRIGATION SYSTEM IS OPERATIONAL.
- THE FINISH GRADES SHALL PROVIDE POSITIVE DRAINAGE AWAY FROM WALLS AND BUILDINGS.
- THE TILLING OF PLANTING BEDS AND PLACEMENT OF BACKFILL IS TO OCCUR JUST PRIOR TO PLANTING; THEREAFTER, PROTECTION FROM COMPACTION AND CONSTRUCTION TRAFFIC SHOULD BE PROVIDED.

**3 EVERGREEN TREE**  
NTS MS-STD-LS-02


**4 GRASSES AND PERENNIALS**  
NTS MS-STD-LS-04



**NOTES:**

- TOPSOIL TO CONSIST OF DARK, LIGHT LOAM SOIL FREE OF ROCKS, ROOTS, AND FOREIGN MATERIALS.
- COMPOST TO BE TYPE I CONSISTING OF OF 1-YEAR OLD ORGANIC MATERIAL AND SHOULD NOT INCLUDE CHICKEN MANURE.
- FROZEN MATERIALS OR MATERIALS GREATER THAN 1" DIA. SHOULD BE REMOVED.

**5 SOIL PREP FOR ALL AREAS**  
NTS MS-STD-LS-05



**NOTE:** ALL SHRUB BEDS COVERED WITH WOOD MULCH AND/OR ROCK MULCH (UP TO 6" SIZE) ARE TO BE ENCLOSED WITH STEEL EDGING TO SEPARATE BEDS FROM SOD AND SEED. NO EDGING NEEDED BETWEEN SOD AND NATIVE SEED OR BETWEEN TWO MULCH TYPES UNLESS OTHERWISE SPECIFIED.

**6 STEEL EDGING**  
NTS MS-STD-LS-12

**PLANT SCHEDULE**

EVERGREEN TREES	CODE	QTY	BOTANICAL / COMMON NAME	PLANT SIZE	CONTAINER	MAT. H.	MAT. W.	CITY KEY
	JM	8	JUNIPERUS SCOPULORUM 'MOONGLOW' MOONGLOW JUNIPER	6' HT.	B&B	12'	8'	125678D
	IF	15	PICEA PUNGENS 'ISELI FASTIGIATE' FASTIGIATE SPRUCE	6' HT.	B&B	12'	6'	678S
	TN	10	PINUS MUGO 'TANNENBAUM' MUGO PINE	6' HT.	B&B	12'	8'	1256D
ORNAMENTAL TREES	CODE	QTY	BOTANICAL / COMMON NAME	PLANT SIZE	CONTAINER	MAT. H.	MAT. W.	CITY KEY
	MP	3	MALUS X 'PRAIRIFIRE' PRAIRIFIRE CRABAPPLE	1.5" CAL.	B&B	15'	15'	467S
	AP	13	PRUNUS AMERICANA AMERICAN PLUM	1.5" CAL.	B&B	15'	10'	2345678DA
DECIDUOUS SHRUBS	CODE	QTY	BOTANICAL / COMMON NAME	PLANT SIZE	CONTAINER	MAT. H.	MAT. W.	CITY KEY
	ARA	4	ARONIA ARBUTIFOLIA RED CHOKEBERRY	#5 CONT.	CONT.	6'	4'	47S
	BTA	6	BERBERIS THUNBERGII 'ATROPURPUREA' RED LEAF JAPANESE BARBERRY	#5 CONT.	CONT.	4'	4'	45A
	CHV	10	CHRYSOTHAMNUS VISCIDIFLORUS YELLOW RABBITBRUSH	#3 CONT.	CONT.	2'	2'	1235D
	COS	10	CORNUS STOLONIFERA RED TWIG DOGWOOD	#5 CONT.	CONT.	4'	4'	457S
	PAB	11	PEROVSKIA ATRIPLICIFOLIA 'BLUE SPIRES' BLUE SPIRES RUSSIAN SAGE	#5 CONT.	CONT.	4'	4'	12D
	PHM	16	PHYSOCARPUS MONOGYNUS MOUNTAIN NINEBARK	#5 CONT.	CONT.	3'	3'	568A
	PRB	6	PRUNUS BESSEYI SAND CHERRY	#5 CONT.	CONT.	5'	5'	1345A
	SJL	12	SPIRAEA JAPONICA 'LITTLE PRINCESS' LITTLE PRINCESS JAPANESE SPIREA	#5 CONT.	CONT.	1'	2'	SA
EVERGREEN SHRUBS	CODE	QTY	BOTANICAL / COMMON NAME	PLANT SIZE	CONTAINER	MAT. H.	MAT. W.	CITY KEY
	JHW	5	JUNIPERUS HORIZONTALIS 'WILTONII' BLUE RUG JUNIPER	#5 CONT.	CONT.	1.5'	6'	2568A
	PMM	10	PINUS MUGO 'MOPS' MUGO PINE	#5 CONT.	CONT.	2'	2'	1256D
ORNAMENTAL GRASSES	CODE	QTY	BOTANICAL / COMMON NAME	PLANT SIZE	CONTAINER	MAT. H.	MAT. W.	CITY KEY
	BOG	25	BOUTELOUA GRACILIS BLUE GRAMA GRASS	#1 CONT.	CONT.	2'	2'	1235D
	PEA	15	PENNISETUM ALOPECUROIDES FOUNTAIN GRASS	#1 CONT.	CONT.	3'	2'	A

**SIGNATURE PLANTS**

TREES	49/49	100%
SHRUBS	78/90	86%


**SEED MIX SCHEDULE**

MIX NAME	SUPPLIER	SPECIES	CONDITION	APPLICATION METHOD	APPLICATION RATE
EL PASO COUNTY CONSERVATION DISTRICT ALL-PURPOSE LOW GROW MIX		25% BUFFALOGRASS 20% BLUE GRAMA 29% SIDEOATS GRAMA 5% GREEN NEEDLEGRASS 20% WESTERN WHEATGRASS 1% DROPSEED	IRRIGATION	PER SEEDING NOTES	42 PLS/AC HYDROSEED 21 PLS/AC DRILLED
EL PASO COUNTY CONSERVATION DISTRICT ALL-PURPOSE MIX		20% BIG BLUE STEM 10% BLUE GRAMA 10% GREEN NEEDLEGRASS 20% WESTERN WHEATGRASS 10% SIDEOATS GRAMA 10% SWITCHGRASS 10% PRAIRIE SANDREED 10% YELLOW INDIANGRASS	NON-IRRIGATED	PER SEEDING NOTES	19.3 PLS/AC HYDROSEED 9.7 PLS/AC DRILLED

CONSULTANTS:  
PLANNER/ LANDSCAPE ARCHITECT/ CIVIL ENGINEER:  
**Matrix**  
2435 RESEARCH PARKWAY, SUITE 300  
COLORADO SPRINGS, CO 80920  
PHONE: (719) 575-0100  
FAX: (719) 575-0208

OWNER/DEVELOPER:  
**G LIGHT EQUITY**  
5025 BOARDWALK DR. STE 250  
COLORADO SPRINGS, CO 80919  
(719) 310-6228

APPROVAL:



PROJECT:  
**CENTENNIAL BLVD TOWNHOMES  
CONDITIONAL USE DEVELOPMENT  
PLAN  
EL PASO COUNTY  
JUNE 6, 2022**

REVISION HISTORY:

NO.	DATE	DESCRIPTION	BY
1	8/15/2022	PER CITY COMMENTS	AV
2	10/12/2022	PER CITY COMMENTS	AV
3	4/27/2023	PER CITY COMMENTS AND CLIENT REVIEW	BP
4	8/1/23	PER CITY COMMENTS	BP

DRAWING INFORMATION:  
PROJECT NO: 22-1258.002  
DRAWN BY: BTP  
CHECKED BY: AJP  
APPROVED BY: AJP


**LANDSCAPE  
DETAILS**

**LD01  
SHEET 7 OF 14**

FILE LOCATION: I:\STY\PROJECTS\22-1258-002-4113-CENTENNIAL MULTI-FAMILY 1500 CDD\504 PLAN SET\SIDE DEVELOPMENT PLANS\LD01.DWG

APPROVAL:

VICINITY MAP:



PROJECT:  
**CENTENNIAL BLVD TOWNHOMES  
 CONDITIONAL USE DEVELOPMENT  
 PLAN  
 EL PASO COUNTY  
 JUNE 6, 2022**

REVISION HISTORY:

NO.	DATE	DESCRIPTION	BY
1	8/15/2022	PER CITY COMMENTS	AV
2	10/12/2022	PER CITY COMMENTS	AV
3	4/27/2023	PER CITY COMMENTS AND CLIENT REVIEW	BP
4	8/1/23	PER CITY COMMENTS	BP

DRAWING INFORMATION:  
 PROJECT NO: 22.1258.002  
 DRAWN BY: BTP  
 CHECKED BY: AP  
 APPROVED BY: XX


# FINAL LANDSCAPE PLAN

**LS01**  
 SHEET 8 OF 14



**LEGEND**

	3/4" ROCK TYPE: ROYAL GRANITE SUPPLIER: C&C SAND OR APPROVED EQUAL	2,962 SF
	2-4" COBBLE TYPE: BLUE GREY RIVER ROCK SUPPLIER: C&C SAND OR APPROVED EQUAL	721 SF
	NATIVE SEED-LOW MIX NAME: EL PASO COUNTY LOW GROW MIX SUPPLIER:	4,805 SF
	NATIVE SEED- DETENTION MIX NAME: EL PASO COUNTY CONSERVATION DISTRICT ALL PURPOSE MIX SUPPLIER:	2,951 SF
	HS20 RATED ROAD BASE TYPE: SUPPLIER: OR APPROVED EQUAL	303 SQ FT
	EDGING 4" ROLLED TOP STEEL EDGING (OR APPROVED EQUAL)	
	PLANNED INFILTRATION AREA	4,808 SF






**IRRIGATION EQUIPMENT NOTES**


- 60 PSI IS ASSUMED, CONTRACTOR TO VERIFY ON SITE AND NOTIFY THE OWNER OR OWNERS REPRESENTATIVE OF ACTUAL PRESSURE ON SITE.
- BACKFLOW PREVENTER TO BE WATTS U009 1 INCH, TO BE INSTALLED AS SHOWN ON PLAN AND SHALL BE WITHIN AN ENCLOSURE TO MATCH DETAIL.
- ALL IRRIGATION EQUIPMENT IS TO BE INSTALLED PER MANUFACTURER SPECIFICATIONS.

**GENERAL IRRIGATION NOTES**


- THE CONTRACTOR IS RESPONSIBLE FOR OBTAINING A COPY OF THE PROJECT SPECIFICATIONS PRIOR TO BIDDING. THE PROJECT SPECIFICATIONS ARE A PART OF THESE PLANS AND SHALL BE CONSULTED BY THE IRRIGATION CONTRACTOR. THE CONTRACTOR IS RESPONSIBLE FOR IMPLEMENTING WORK AS SPECIFIED IN THE PROJECT SPECIFICATIONS AND ON THE PLANS.
- CONTRACTOR SHALL VERIFY ALL DIMENSIONS, ELEVATIONS, EQUIPMENT QUANTITIES, AND UTILITY LOCATIONS PRIOR TO BEGINNING WORK.
- CONTRACTOR SHALL NOTIFY OWNER OF ANY DISCREPANCIES IN PLANS OR SPECIFICATIONS PRIOR TO BEGINNING OR CONTINUING WORK.
- THE CONTRACTOR SHALL MAKE NO SUBSTITUTIONS, DELETIONS, OR ADDITIONS TO THIS PLAN WITHOUT APPROVAL OF THE LANDSCAPE ARCHITECT OR LICENSED IRRIGATOR.
- ALL CONSTRUCTION SHALL CONFORM TO CITY, COUNTY, STATE, AND FEDERAL REQUIREMENTS. IT SHALL BE THE RESPONSIBILITY OF THE IRRIGATION CONTRACTOR TO ENSURE THAT ALL IRRIGATION EQUIPMENT MEETS GOVERNMENT REGULATIONS. CONTRACTOR SHALL ALSO BE RESPONSIBLE FOR OBTAINING ANY NECESSARY PERMITS OR APPROVALS.
- CONTRACTOR IS TO VERIFY ACTUAL AVAILABLE WATER PRESSURE BEFORE BEGINNING INSTALLATION. CONTRACTOR SHALL NOTIFY LANDSCAPE ARCHITECT OR LICENSED IRRIGATOR IF AVAILABLE WATER PRESSURE EXCEEDS 5 PSI HIGHER OR LOWER THAN THE DESIGN WATER PRESSURE.
- IRRIGATION SYSTEMS CONNECTED TO POTABLE WATER SUPPLY, SHALL HAVE A BACKFLOW PREVENTER INSTALLED PER LOCAL REQUIREMENTS.
- ANY EXISTING TREES TO REMAIN ARE TO BE PROTECTED FROM DAMAGE. DO NOT TRENCH OR EXCAVATE WITHIN THE CRITICAL ROOT ZONE OF ANY TREE.
- SUPPLY LINE AND METER TO BE PROVIDED BY GENERAL CONTRACTOR. IRRIGATION CONTRACTOR'S POINT OF CONNECTION TO BEGIN AFTER THE IRRIGATION WATER METER. BACKFLOW PREVENTER TO BE PROVIDED BY IRRIGATION CONTRACTOR, UNLESS SPECIFIED TO BE LOCATED INSIDE AT WHICH POINT WILL BE PROVIDED BY THE GENERAL CONTRACTOR OR PLUMBER.
- IRRIGATION CONTRACTOR SHALL REVIEW WINTERIZATION PROCEDURES FOR IRRIGATION SYSTEM WITH OWNERS REPRESENTATIVE.
- IRRIGATION CONTRACTOR IS RESPONSIBLE FOR INSTALLING MANUAL DRAIN VALVES AT LOWEST POSSIBLE ELEVATION ON IRRIGATION MAIN SO AS TO PROVIDE POSITIVE DRAINAGE OF IRRIGATION MAIN DURING WINTER MONTHS OR PROVIDE BLOWOUT ASSEMBLY.
- ALL LATERAL LINES SHALL BE EQUIPPED WITH AUTOMATIC DRAIN VALVES AT LOW POINTS.
- IRRIGATION CONTRACTOR SHALL COORDINATE CONTROLLER LOCATION WITH GENERAL CONTRACTOR. GENERAL CONTRACTOR SHALL PROVIDE (2) 1" ELECTRICAL CONDUITS FOR IRRIGATION CONTRACTOR'S POWER/DATA CONNECTION TO CONTROLLER. SEE ARCHITECTURAL ELECTRICAL PLAN FOR ELECTRICAL CONNECTION TO THE IRRIGATION CONTROLLER. IRRIGATION CONTRACTOR SHALL COORDINATE CONSTRUCTION OF IRRIGATION SYSTEM WITH GENERAL CONTRACTOR AND LANDSCAPE CONTRACTOR PRIOR TO COMMENCEMENT OF CONSTRUCTION.
- THE CONTRACTOR IS SPECIFICALLY CAUTIONED THAT THE LOCATION AND/OR ELEVATION OF EXISTING UTILITIES AS SHOWN ON THESE PLANS IS BASED ON RECORDS OF THE VARIOUS UTILITY COMPANIES, AND WHERE POSSIBLE, MEASUREMENTS TAKEN IN THE FIELD. THE INFORMATION IS NOT TO BE RELIED ON AS BEING EXACT OR COMPLETE. THE CONTRACTOR MUST CALL THE APPROPRIATE UTILITY COMPANIES AT LEAST 72 HOURS BEFORE ANY EXCAVATION TO REQUEST EXACT FIELD LOCATION OF UTILITIES. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO RELOCATE ALL EXISTING UTILITIES WHICH CONFLICT WITH THE PROPOSED IMPROVEMENTS SHOWN ON THE PLANS.
- ALL BELOW GRADE LOW VOLTAGE WIRING CONNECTIONS SHALL BE INSTALLED PER WIRE CONNECTION DETAIL.
- DO NOT INSTALL IRRIGATION AT PYLON / MONUMENT SIGN LOCATION UNTIL SIGN HAS BEEN INSTALLED.
- LOCATION FOR IRRIGATION SYSTEM AS SHOWN IS FOR DRAWING PURPOSES ONLY. UNSLEEVED PIPES MAY BE SHOWN IN PAVEMENT AREAS FOR CLARITY ONLY. INSTALL THESE PIPES IN ADJACENT LANDSCAPE AREAS WHERE NECESSARY. CONTRACTOR SHALL VERIFY THE EXACT LOCATION IN FIELD PRIOR TO THE COMMENCEMENT OF CONSTRUCTION OF PROPOSED IRRIGATION SYSTEM. ALL PROPOSED IRRIGATION LINES AND EQUIPMENT SHALL BE INSTALLED WITHIN THE BOUNDARIES OF THE PROJECT SITE. CONTRACTOR SHALL NOTIFY LANDSCAPE ARCHITECT OR LICENSED IRRIGATOR IF THE DESIGN AS SHOWN IS NOT ACHIEVABLE.
- MINIMUM COVER FROM TOP OF PIPING TO FINISHED GRADE SHALL BE AS PER DETAIL.
- IRRIGATION CONTRACTOR SHALL COORDINATE IRRIGATION INSTALLATION WITH PLANTING PLAN AND SITE CONDITIONS TO PROVIDE COMPLETE COVERAGE WITH MINIMUM OVERSPRAY. THE IRRIGATION CONTRACTOR SHALL MAKE MINOR ADJUSTMENTS TO ENSURE PROPER COVERAGE AT NO ADDITIONAL COST TO THE OWNER.
- VALVE BOXES SHALL BE INSTALLED FLUSH WITH GRADE, PER DETAIL.
- ALL MAIN LINE PIPING, NON-PRESSURE PIPING AND CONTROL WIRE SLEEVING SHALL BE INSTALLED IN SEPARATE SLEEVES. ALL LATERAL LINE PIPING UNDER PAVING SHALL BE PVC SCHEDULE 40 AND SHALL BE INSTALLED PRIOR TO ANY HARDSCAPE MATERIAL. IRRIGATION CONTRACTOR TO PROVIDE SLEEVES BETWEEN 12" AND 15" BELOW GRADE AT ALL DRIVE ENTRANCES AND SIDEWALKS. MAINLINE SLEEVE SIZE SHALL BE A MINIMUM OF TWICE (2X) THE DIAMETER OF THE PIPE TO BE SLEEVED. CONTROL WIRE SLEEVES SHALL BE OF SUFFICIENT SIZE FOR THE REQUIRED NUMBER OF WIRES.
- IT IS THE RESPONSIBILITY OF THE IRRIGATION CONTRACTOR TO FAMILIARIZE HIMSELF WITH ALL GRADE DIFFERENCES, LOCATION OF FENCES, RETAINING WALLS, AND UTILITIES. THE IRRIGATION CONTRACTOR SHALL REPAIR OR REPLACE ALL ITEMS DAMAGED BY HIS WORK. THEY SHALL COORDINATE HIS WORK WITH OTHER CONTRACTORS FOR THE LOCATION AND INSTALLATION OF PIPE SLEEVES AND LATERALS THROUGH WALLS, UNDER ROADWAYS AND PAVING AND TIMING, ETC. REFER TO CIVIL ENGINEERING PLANS FOR GRADING, METHODS OF DRAINAGE, IRRIGATION METERS, AND BACKFLOW PREVENTION DEVICE LOCATION.
- ALL IRRIGATION EQUIPMENT NOT OTHERWISE DETAILED OR SPECIFIED, SHALL BE INSTALLED AS PER MANUFACTURER'S RECOMMENDATIONS, DETAILS AND SPECIFICATIONS. ACCEPTABLE MANUFACTURERS INCLUDE RAINBIRD, HUNTER, TORO, OR NETAFIM
- ANY DRIP SYSTEM PIPING IN PLANTING BEDS IS DIAGRAMMATIC. CONTRACTOR CAN ROUTE PIPING IN A FREEFORM MANNER (AVOIDING OBJECTS SUCH AS LIGHT POLES, TRANSFORMERS PADS, EQUIPMENT VAULTS, SUBSURFACE ROCK TOO LARGE TO REMOVE, ETC...) AS LONG AS ALL PLANT MATERIAL RECEIVES THE PROPER NUMBER OF EMITTERS PER SCHEDULE AND THE VINYL DISTRIBUTION TUBING DOES NOT EXCEED THE MAXIMUM DESIGN LENGTHS PER MANUFACTURER'S RECOMMENDATIONS.
- UNLESS OTHERWISE REQUIRED, BACKFLOW PREVENTION DEVICES LESS THAN 2" SHALL BE PLACED IN A WIRE MESH BASKET ENCLOSURE AND PAINTED TO MATCH THE PRIMARY BUILDING COLORS. SEE CIVIL PLANS FOR LOCATION.
- ALL JOINTS AND BENDS 2" OR LARGER SHALL HAVE CONCRETE THRUST BLOCKING. THRUST BLOCKING SHALL BE A MINIMUM OF 1 CUBIC FOOT OF CONCRETE. PIPE SHALL NOT BE ENCASED IN CONCRETE. SEE DETAIL 31C FOR THRUST BLOCKING.
- CONTRACTOR WILL PROVIDE OWNER WITH A COMPLETE AND REPRODUCIBLE DRAWING OR IRRIGATION SYSTEM LAYOUT AS IT WAS INSTALLED. DRAWING SHOULD INCLUDE, BUT NOT BE LIMITED TO, LOCATIONS OF ZONES VALVES, MAIN, LATERAL AND DISTRIBUTION LINES, SLEEVES, WATER METER, BACKFLOW PREVENTION DEVICE, SENSORS AND CONTROLLER.
- ALL LATERAL LINE SIZING SHALL REFER TO PIPE SCHEDULE ON THIS PLAN.
- ALL EXISTING AND PROPOSED SIDEWALKS, BARRIER-FREE RAMPS, HANDICAP PARKING, DRIVEWAY CROSSWALKS, DRIVEWAYS AND ACCESSIBLE ROUTES SHALL COMPLY WITH A.D.A., T.A.S., AND CITY OF GREENWOOD VILLAGE REQUIREMENTS. EXISTING INFRASTRUCTURE NOT COMPLYING SHALL BE REMOVED AND REPLACED TO MEET STANDARDS.
- THE CITY HAS ADOPTED PERMANENT WATER-WISE REGULATION AT THE START OF 2020 WHICH WILL AFFECT THE OVERALL OPERATION OF THE IRRIGATION SYSTEM.
  - FROM MAY 1 TO OCTOBER 15, SPRINKLERS CAN BE OPERATED BEFORE 10 A.M. AND AFTER 6 P.M.
  - WATERING IS LIMITED TO THREE DAYS A WEEK (DRIP IRRIGATION ALLOWED AT ANYTIME).
  - ESTABLISHMENT PERMITS ARE REQUIRED FROM COLORADO SPRINGS UTILITIES FOR CUSTOMERS WHO NEED TO TEMPORARILY WATER MORE THAN THREE DAYS A WEEK TO ESTABLISH NEW LANDSCAPES.
  - ALLOCATION PLANS ARE AVAILABLE FOR CUSTOMER WHO NEED MORE WATERING SCHEDULE FLEXIBILITY FROM COLORADO SPRINGS UTILITIES.




**1 REDUCED PRESSURE BACKFLOW WITH ENCLOSURE**  
NTS




**2 MASTER VALVE**  
NTS




**3 PEDESTAL MOUNT CONTROLLER**  
NTS MS-STD-IRR-11




**4 WIRE CONNECTION**  
NTS MS-STD-IRR-10



**6 AUTOMATIC CONTROL VALVE**  
NTS



**5 DRIP EMITTERS**  
NTS MS-STD-IRR-09



**8 IRRIGATION PIPE & WIRE TRENCHING**  
NTS MS-STD-IRR-06

- NOTES:
- MASTER VALVE SHALL BE MAKE AND MODEL NUMBER AS PRESCRIBED PER SCHEDULE
  - INSTALL MASTER VALVE PER MANUFACTURER'S SPECIFICATIONS AND RECOMMENDATIONS.
  - MASTER VALVE WIRE SHALL BE 14 AWG OR LARGER
  - ALL WIRE RUNS SHALL BE CONTINUOUS WITHOUT ANY SPLICES. WIRE CONNECTIONS SHALL BE MADE USING DBR-Y6 CONNECTORS OR APPROVED EQUAL.
  - SEE MASTER VALVE/ FLOW SENSOR DETAIL FOR LINEAR DIMENSIONS.
  - VALVE BOXES SHALL BE LOCATED IN PLANTING AREAS.

CONSULTANTS:  
PLANNER/ LANDSCAPE ARCHITECT/ CIVIL ENGINEER:  
**Matrix**  
2435 RESEARCH PARKWAY, SUITE 300  
COLORADO SPRINGS, CO 80920  
PHONE: (719) 575-0100  
FAX: (719) 575-0208

OWNER/DEVELOPER:  
**G LIGHT EQUITY**  
5025 BOARDWALK DR. STE 2507  
COLORADO SPRINGS, CO 80919  
(719) 310-6228

APPROVAL:

VICINITY MAP:  
GARDEN OF THE GODS RD  
HIGH TECH HWY  
CANTONMENT RD  
EXIT

PROJECT:  
**CENTENNIAL BLVD TOWNHOMES  
CONDITIONAL USE DEVELOPMENT  
PLAN  
EL PASO COUNTY  
JUNE 6, 2022**

REVISION HISTORY:

NO	DATE	DESCRIPTION	BY
1	8/15/2022	PER CITY COMMENTS	AV
2	10/12/2022	PER CITY COMMENTS	AV
3	4/27/2023	PER CITY COMMENTS AND CLIENT REVIEW	BP
4	8/1/23	PER CITY COMMENTS	BP

DRAWING INFORMATION:  
PROJECT NO: 22-1258-002  
DRAWN BY: BTP  
CHECKED BY: AJP  
APPROVED BY: AJP

**IRRIGATION NOTES  
AND DETAILS**

**CRITICAL ANALYSIS**

Generated: 2023-07-31 13:02

P.O.C. NUMBER: 01  
Water Source Information:

**FLOW AVAILABLE**  
Water Meter Size: 1"  
Flow Available: 18.2 GPM

**PRESSURE AVAILABLE**  
Static Pressure at POC: 60 PSI  
Elevation Change: 1.00 ft  
Service Line Size: 1"  
Length of Service Line: 20 ft  
Pressure Available: 58 PSI

**DESIGN ANALYSIS**  
Maximum Station Flow: 10.9 GPM  
Flow Available at POC: 18.2 GPM  
Residual Flow Available: 7.3 GPM

Critical Station: 3  
Design Pressure: 30 PSI  
Friction Loss: 1.56 PSI  
Fittings Loss: 0.16 PSI  
Elevation Loss: 0 PSI  
Loss through Valve: 1.9 PSI  
Pressure Req. at Critical Station: 33.6 PSI  
Loss for Fittings: 0.47 PSI  
Loss for Main Line: 4.71 PSI  
Loss for POC to Valve Elevation: 0 PSI  
Loss for Backflow: 12.5 PSI  
Loss for Master Valve: 0.2 PSI  
Loss for Water Meter: 0.79 PSI  
Critical Station Pressure at POC: 52.3 PSI  
Pressure Available: 58 PSI  
Residual Pressure Available: 5.72 PSI

ZONING: R5  
SINGLE-FAMILY  
RESIDENTIAL

ZONING: PBC P CU  
MERCHANDISING

ZONING: PUD SS  
MULTI-FAMILY  
RESIDENTIAL

ZONING: R5  
SINGLE-FAMILY  
RESIDENTIAL

**IRRIGATION SCHEDULE**

SYMBOL	MANUFACTURER/MODEL/DESCRIPTION	PSI
T	HUNTER MP CORNER PROS-04-PRS30-CV TURF ROTATOR, 6" POP-UP WITH FACTORY INSTALLED CHECK VALVE, PRESSURE REGULATED TO 30 PSI, MP ROTATOR NOZZLE. T=TURQUOISE ADJ ARC 45-105 ON PRS30 BODY.	30
M L O	HUNTER MP1000 PROS-04-PRS30-CV TURF ROTATOR, 6" POP-UP WITH CHECK VALVE, PRESSURE REGULATED TO 30 PSI, MP ROTATOR NOZZLE ON PRS30 BODY. M=MAROON ADJ ARC 90 TO 210, L=LIGHT BLUE 210 TO 270 ARC, O=OLIVE 360 ARC.	30
K G	HUNTER MP2000 PROS-04-PRS30-CV TURF ROTATOR, 6" POP-UP WITH FACTORY INSTALLED CHECK VALVE, PRESSURE REGULATED TO 30 PSI, MP ROTATOR NOZZLE ON PRS30 BODY. K=BLACK ADJ ARC 90-210, G=GREEN ADJ ARC 210-270, R=RED 360 ARC.	30


SYMBOL	MANUFACTURER/MODEL/DESCRIPTION
F	RAIN BIRD XCZ-100-PRF 1" MEDIUM FLOW DRIP CONTROL KIT, 1" DV VALVE, 1" PRESSURE REGULATING FILTER, 40PSI PRESSURE REGULATOR. 3GPM - 15GPM.
P	RAIN BIRD MDCFCAP DRIPLINE FLUSH VALVE CAP IN COMPRESSION FITTING COUPLER.
TR	TREE RING: RAIN BIRD XF SERIES DRIPLINE 2 DRIPLINE RINGS USING 18" EMITTER SPACING @ 0.9 GPH, 12" SPACING FROM TRUNK TO FIRST RING, 30" SPACING FROM TRUNK TO SECOND RING
+	AREA TO RECEIVE DRIP EMITTERS RAIN BIRD XB-PC (2) SINGLE OUTLET, PRESSURE COMPENSATING DRIP EMITTERS. FLOW RATES OF 0.5GPH=BLUE, 1.0GPH=BLACK, AND 2.0GPH=RED. COMES WITH A SELF-PIERCING BARB INLET X BARB OUTLET. Emitter Notes: 0.5 GPH emitters (1 assigned to each #1 CONT. plant) 1.0 GPH emitters (2 assigned to each #5 CONT. plant)

SYMBOL	MANUFACTURER/MODEL/DESCRIPTION
W	RAIN BIRD PESB 1" 1", 1-1/2", 2" PLASTIC INDUSTRIAL VALVES. LOW FLOW OPERATING CAPABILITY, GLOBE CONFIGURATION. WITH SCRUBBER TECHNOLOGY FOR RELIABLE PERFORMANCE IN DIRTY WATER IRRIGATION APPLICATIONS.
MV	RAIN BIRD EFB-CP 1" 1", 1-1/4", 1-1/2", 2" BRASS MASTER VALVE, THAT IS CONTAMINATION PROOF W/SELF-FLUSHING FILTER SCREEN. GLOBE CONFIGURATION, RECLAIMED WATER COMPATIBLE.
BF	WATTS U009 1" REDUCED PRESSURE BACKFLOW PREVENTER
C	RAIN BIRD ESP4ME WITH (1) ESP-SM3 7 STATION, HYBRID MODULAR OUTDOOR CONTROLLER. FOR RESIDENTIAL OR LIGHT COMMERCIAL APPLICATIONS.
RS	RAIN BIRD RSD-BEX RAIN SENSOR, WITH METAL LATCHING BRACKET, EXTENSION WIRE.
M	IRRIGATION METER 1"

IRRIGATION LATERAL LINE: POLYETHYLENE PIPE SDR-7 1"

IRRIGATION MAINLINE: PVC SCHEDULE 40 1"



PIPE SLEEVE: PVC CLASS 200 SDR 21



**VALVE SCHEDULE**

NUMBER	MODEL	SIZE	TYPE	GPM	WIRE	PSI	PSI @ POC	PRECIP
1	RAIN BIRD XCZ-100-PRF	1"	DRIP EMITTER	8.29	421.1	17.4	31.2	0.27 in/h
2	RAIN BIRD XCZ-100-PRF	1"	DRIP EMITTER	6.8	46.5	16.3	30.9	0.39 in/h
3	RAIN BIRD PESB	1"	TURF ROTARY	10.9	89.8	33.6	52.2	0.64 in/h
4	RAIN BIRD PESB	1"	TURF ROTARY	8.98	90.4	32.8	49.6	0.56 in/h
5	RAIN BIRD PESB	1"	TURF ROTARY	7.21	240.6	32.7	47.7	0.44 in/h
6	RAIN BIRD PESB	1"	TURF ROTARY	5.38	240.6	32.1	46.1	0.45 in/h
	Common Wire				935.0			

TOTAL AREA IRRIGATED: 11,439 SF



CONSULTANTS:  
PLANNER/ LANDSCAPE ARCHITECT/ CIVIL ENGINEER:  
**Matrix**  
2435 RESEARCH PARKWAY, SUITE 300  
COLORADO SPRINGS, CO 80920  
PHONE: (719) 575-0100  
FAX: (719) 575-0208

OWNER/DEVELOPER:  
**G LIGHT EQUITY**  
5025 BOARDWALK DR. STE 250  
COLORADO SPRINGS, CO 80919  
(719) 310-6228

APPROVAL:

VICINITY MAP:  
GARDEN OF THE GODS RD.  
HIGH TECH HWY  
CENTENNIAL BLVD

PROJECT:  
**CENTENNIAL BLVD TOWNHOMES  
CONDITIONAL USE DEVELOPMENT  
PLAN  
EL PASO COUNTY  
JUNE 6, 2022**

REVISION HISTORY:

NO.	DATE	DESCRIPTION	BY
1	8/15/2022	PER CITY COMMENTS	AV
2	10/12/2022	PER CITY COMMENTS	AV
3	4/27/2023	PER CITY COMMENTS AND CLIENT REVIEW	BP
4	8/1/23	PER CITY COMMENTS	BP

DRAWING INFORMATION:  
PROJECT NO: 22-1258.002  
DRAWN BY: BTP  
CHECKED BY: AJP  
APPROVED BY: AJP


**IRRIGATION PLAN**

**IR02**  
SHEET 10 OF 14

FILE LOCATION: I:\STY\PROJECTS\22-1258.002-4113-CENTENNIAL MULTI-FAMILY\500-CDD\504-PLAN SET\SIDE DEVELOPMENT PLAN\IR02.DWG

Symbol	Label	Image	Quantity	Manufacturer	Catalog Number	Description	Number Lamps	Lumens Per Lamp	Light Loss Factor	Wattage	Plot
[Symbol A]	A		9	Lithonia Lighting	WPX1 LED P1 30K Mvolt	WPX1 LED wallpack 1500lm 3000K color temperature 120-277 Volts	1	1537	1	11.49	
[Symbol B]	B		20	Lithonia Lighting	OLCS 8 DDB	OUTDOOR CAST SCONCE W/DR3 FROSTED LENS; BROWN	1	470	1	8.93	
[Symbol C]	C		21	Lithonia Lighting	WDGE1 LED P1 27K 90CRI VF	WDGE1 LED WITH P1 - PERFORMANCE PACKAGE, 2700K, 90CRI, VISUAL COMFORT FORWARD OPTIC	1	967	1	10.0002	


Statistics						
Description	Symbol	Avg	Max	Min	Max/Min	Avg/Min
Calc Zone #2	+	0.4 fc	4.6 fc	0.0 fc	N/A	N/A



**GENERAL NOTES:**

PER CITY CODE SECTION 7.4.102.D, CALCULATIONS ARE PERFORMED AND ALL LIGHTING FIXTURES SHALL BE FULL CUT-OFF OR HAVE SHIELDING TO REDUCE OFF-SITE LIGHTING IMPACTS ONTO ADJACENT PROPERTIES AND ROADWAYS. ALL EXTERIOR LIGHTING SHALL BE ARRANGED TO MITIGATE LIGHT DIRECTED AWAY FROM ADJACENT PROPERTIES AND ANY PUBLIC RIGHT-OF-WAY. AN AMENDMENT TO THIS PLAN MAY BE REQUIRED IF THE LIGHTING TYPE OR FIXTURE IS CHANGED.

**SITE PLAN PHOTOMETRICS**  
SCALE: 1/16" = 1'-0"



REVISIONS		
DATE	FOR	

51LEC INC.  
31 NORTH TEJON ST, SUITE 304  
COLORADO SPRINGS, CO 80903  
FIFTYONEC.COM  
T 719.368.7394

**TDG Architecture**  
201 East Las Animas Street, Suite 113  
Colorado Springs, CO 80903  
719.623.6641 (Phone)  
719.623.6643 (Fax)

**NEW DWELLING DEVELOPMENT  
TOWNHOMES ON CENTENNIAL**  
PHOTOMETRICS  
4113 CENTENNIAL BLVD.  
COLORADO SPRINGS, CO

**PHOTOMETRICS PLAN**

DATE: 08/16/2022  
DRAWN BY: NSC/JLV  
CHECKED BY: AIS  
PROJECT NO: 5136-22-04  
SHEET NO:

PLOT DATE: 07/20/23 10:07 AM BR: NSCA PROJ: FILE: P:\Terminal Design Group\National Park Townhomes\Electrical\Photometrics\National Park Townhomes - Photometrics.dwg




**BUILDING HEIGHT CALCULATION:**

AVG FINISHED GRADE BLDG A	6292.35 FT
BUILDING HEIGHT	+ 36 FT
<b>TOTAL HEIGHT</b>	<b>6328.35 FT</b>



**5 VIEW LOOKING NORTHWEST FROM POND**



**4 DP BLDG A - WEST ELEVATION**  
1/8" = 1'-0"



**3 DP BLDG A - EAST ELEVATION**  
1/8" = 1'-0"



**2 DP BLDG A - FRONT ELEVATION**  
1/8" = 1'-0"



**1 DP BLDG A - REAR ELEVATION**  
1/8" = 1'-0"

SCHEMATIC EXTERIOR ELEVATIONS

**BUILDING HEIGHT CALCULATIONS**


AVG FINISHED GRADE BLDG B	6291.05 FT
BUILDING HEIGHT	+ 36 FT
<b>TOTAL HEIGHT</b>	<b>6327.05 FT</b>

**EXTERIOR ELEVATION LEGEND:**


- | NUMBER | DESCRIPTION                         |
|--------|-------------------------------------|
| 1      | STUCCO WALL FINISH - WARM GREY      |
| 2      | COMPOSITE CEMENT BOARD - DARK GREY  |
| 3      | MASONRY STONE VENEER - OFFWHITE     |
| 4      | COMPOSITE SIDING - MEDIUM WOOD TONE |
| 5      | MEMBRANE ROOFING - MEDIUM TONE      |

**EXTERIOR ELEVATION GENERAL NOTES:**


- ALL ELECTRICAL LIGHTING FIXTURES TO BE FULL CUT-OFF FIXTURES, AND OF A DARK FINISH
- ALL ELECTRICAL LIGHTING FIXTURES AT UNIT PATIOS TO BE UP-DOWN DIRECTIONAL, AND OF A DARK FINISH
- ALL MECHANICAL CONDENSING UNITS ARE LOCATED ON THE ROOF AND SCREENED
- ALL LANDSCAPE BOLLARDS TO BE PAINTED SAFETY YELLOW
- ALL GUTTERS & DOWNSPOUTS TO BE PAINTED A DARK FINISH
- ALL RAILINGS TO BE METAL AND PAINTED A DARK FINISH
- ALL FASCIA BOARDS TO MATCH GENERAL TONE OF ROOF
- ALL SIGNAGE UNDER A SEPARATE CONTRACT FOR PERMITTING
- REFER TO ELEVATIONS FOR ELECTRIC UTILITY METER LOCATIONS, SHOWN DASHED




**4 DP BLDG B - WEST ELEVATION**  
1/8" = 1'-0"



**3 DP BLDG B - EAST ELEVATION**  
1/8" = 1'-0"




**6 GATE HINGE DETAIL**  
3" = 1'-0"



**7 METAL PRIVACY FENCE**  
3/4" = 1'-0"



**2 DP BLDG B - REAR ELEVATION**  
1/8" = 1'-0"



**5 CEDAR FENCE**  
3/4" = 1'-0"



**1 DP BLDG B - FRONT ELEVATION**  
1/8" = 1'-0"

SCHEMATIC EXTERIOR ELEVATIONS

TDG Architecture  
201 E. Las Animas Street, Ste. 103  
CO 80903 (719) 623-5641

TOWNHOMES ON CENTENNIAL

07/20/23

4113 CENTENNIAL BLVD.  
COLORADO SPRINGS CO 80919

FILE NO. CUDP-22-0014