

### 106 PUEBLO AVE





### SITE & BUILDING DATA OWNER: 106 PA LLC 106 PUEBLO AVE, COLORADO SPRINGS, CO 80903 APPLICANT NAME: BOBBY HILL DESIGNS 219 WEST COLORADO AVE #308 COLORADO SPRINGS, 80903 SITE ADDRESS: 106 PUEBLO AVE COLORADO SPRINGS, CO 80903 LEGAL DESCRIPTION: LOT 12, EXCEPT THE EAST FIVE FEET TOWN OF COLORADO SPRINGS TAX SCHEDULE #: 6418409003 ZONE: FBZ-COR LOT SIZE: 5,513 SF TOTAL DEVELOPMENT AREA: 8,326 SF EXISTING BUILDING USE: SERVICE GARAGE PROPOSED BUILDING USE: MASTER PLAN: EXPERIENCE DOWNTOWN BUILDING TYPE: SMALL COMMERCIAL FRONTAGE TYPE: FORECOURT FEMA FLOODPLAIN: PROPERTY IS IN FLOOD ZONE X

### ADA STATEMENT

THE PARTIES RESPONSIBLE FOR THIS PLAN HAVE FAMILIARIZED THEMSELVES WITH ALL CURRENT ACCESSIBILITY CRITERIA AND SPECIFICATIONS AND THE PROPOSE PLAN REFLECTS ALL SITE ELEMENTS REQUIRED BY THE APPLICABLE ADA DESIGN STANDARDS AND GUIDLINES AS PUBLISHED BY THE UNITED STATES DEPARTMENT OF JUSTICE. APPROVAL OF THIS PLAN BY THE CITY OF COLORADO SPRINGS DOES NOT ASSURE COMPLIANCE IWTH THE ADA OR ANY OTHER FEDERAL OR STATE ACCESSIBILITY LAWS OR ANY REGULATIONS OR GUIDLINES ENACTED OR PROMULGATED UNDER OR WITH RESPECT TO SUCH LAWS. SOLE RESPONSIBILITY FOR COMPLIANCE WITH FEDERAL AND STATE ACCESSIBILITY LAWS LIES WITH THE PROPERTY OWNER.

FEMA MAP 08041C0729G EFFECTIVE 12/07/2018

SITE ADDRESS:

106 PUEBLO AVE. COLORADO SPRINGS, CO 80903

OWNER:

25 N SPRUCE ST STE 330 COLORADO SPRINGS, CO 80905

APPLICANT:



TAX SCHEDULE: 6418409003

PRE APP #: MPF-21-084

LOT SIZE: .126 ACRES

BUILDING COVERAGE: 44.3%

LOT COVERAGE: 69%

EXISTING SQ FT: 2,444 SF

NEW SQ FT: 2,444 SF

PATIO SQ FT: 3,339 SF

DATE: 06/13/2022

SHEET#

OF 8 SHEETS

# CONDITIONAL USE EXISTING SITE PLAN

SITE ADDRESS:

106 PUEBLO AVE. COLORADO SPRINGS, CO 80903

OWNER:

25 N SPRUCE ST STE 330 COLORADO SPRINGS, CO 80905

APPLICANT:



TAX SCHEDULE: 6418409003

PRE APP #: MPF-21-084

LOT SIZE: .126 ACRES

BUILDING COVERAGE: 44.3%

LOT COVERAGE: 69%

EXISTING SQ FT: 2,444 SF

NEW SQ FT: 2,444 SF

PATIO SQ FT: 3,339 SF

DATE: 06/13/2022


1/16" = 1'-0"

SCALE:

SHEET#

2

OF 8 SHEETS



E. VERMIJO AVE.

11 LOT 11

LOT 10

METERED PARKING

(5B)

SITE ADDRESS: 106 PUEBLO AVE.

COLORADO SPRINGS, CO 80903 OWNER:

> 25 N SPRUCE ST STE 330 **COLORADO SPRINGS** CO 80905

APPLICANT:

DESIGNS 219 WEST COLORADO AVE. SUITE 308 COLORADO SPRINGS, CO. 719-634-3600 719-634-2239

TAX SCHEDULE: 6418409003 PRE APP #: MPF-21-084

LOT SIZE: .126 ACRES **BUILDING COVERAGE: 44.3%** 

LOT COVERAGE: 69%

EXISTING SQ FT: 2,444 SF

NEW SQ FT: 2,444 SF

PATIO SQ FT: 3,339 SF

DATE: 06/13/2022

SHEET#

FILE NO: CPC CU 22-00062

TRUE NORTH

1/16" = 1'-0"

-"ALL EXISTING CURB, GUTTER, SIDEWALK, PEDESTRIAN RAMPS AND DRIVEWAY APRONS POSING A SAFETY HAZARD, DAMAGED, EXHIBITING EXCESSIVE DETERIORATION OR NOT MEETING CURRENT CITY ENGINEERING STANDARDS ALONG E. VERMIJO AVE. AND PUEBLO AVE. ADJACENT TO THE SITE WILL NEED TO BE REMOVED AND REPLACED PRIOR TO ISSUING THE CERTIFICATE OF OCCUPANCY (C.O.). AN ON-SITE MEETING CAN BE SET UP WITH THE ENGINEERING DEVELOPMENT REVIEW INSPECTOR TO DETERMINE WHAT, IF ANY, IMPROVEMENTS ARE REQUIRED. THE INSPECTOR CAN BE REACHED AT 719-385-5977." -"ACCESSIBLE ROUTES, INCLUDING RAMPS AND SIDEWALKS, WITHIN THE PUBLIC RIGHT-OF-WAY SHALL BE PER THE CITY'S STANDARD DRAWINGS AND SPECIFICATIONS. CITY'S ENGINEERING DEVELOPMENT REVIEW INSPECTOR WILL HAVE THE FINAL AUTHORITY ON ACCEPTING THE PUBLIC IMPROVEMENTS."

-"INSTALLATION OF ELECTRICAL DEVICES IN THE PUBLIC ROW SHALL BE PERFORMED IN ACCORDANCE WITH THE CITY SPECIFICATION SECTION 1001 AND COMPLETE THE COLORADO SPRINGS UTILITIES "ELECTRIC INSPECTION IN THE RIGHT-OF-WAY CERTIFICATE" IN ACCORDANCE WITH UTILITIES' REQUIREMENTS FOR ELECTRIFICATION. THE CERTIFICATE SHALL ALSO BE PROVIDED TO THE CITY INSPECTOR.

-PRIOR TO INSTALLING THE PUBLIC ROW IMPROVEMENTS, SUBMIT STREET AND SIGNAGE CONSTRUCTION PLANS TO EDRD AND TRAFFIC ENGINEERING THROUGH OUR ELECTRONIC REVIEW SYSTEM CALLED PROJECTDOX FOR REVIEW AND APPROVAL. FINANCIAL ASSURANCES FOR ALL PUBLIC ROW IMPROVEMENTS SHALL BE POSTED TO THE CITY PRIOR TO APPROVING THE CONSTRUCTION PLANS. THE AMOUNT TO BE SUBMITTED TO THE CITY WILL BE AGREED UPON AT THAT TIME. THE PUBLIC ROW IMPROVEMENTS WILL FOLLOW EDRD'S PROBATIONARY AND FINAL STREET ACCEPTANCE PROCEDURES. REFERENCE CHAPTER 11 IN THE SUBDIVISION POLICY MANUAL FOR INFORMATION.

-E. VERMIJO AVE. HAS A CITY 2C PAVEMENT OVERLAY SCHEDULED FOR 2024. COORDINATE TIME TIMING OF INSTALLATION OF ALL PUBLIC IMPROVEMENTS WITH THE STREETS DEPARTMENT.

-PUEBLO AVE. HAD A CITY 2C PAVEMENT OVERLAY COMPLETED IN 2020 AND IS UNDER MORATORIUM THROUGH 2025. IF ANY EXCAVATING HAS TO OCCUR INTO THIS PAVEMENT PRIOR TO EXPIRATION OF THE MORATORIUM, CONTACT THE STREETS DEPARTMENT AS ADDITIONAL PAVEMENT REPAIRS WILL BE REQUIRED.

-PUEBLO AV IS UNDER MORATORIUM THRU 2025. IF INFRASTRUCTURE CONSTRUCTION, STORM SEWER, OR UTILITY TIE-IN WORK IMPACT PUEBLO AV, DEVELOPER NEEDS TO BE FAMILIAR WITH THE CITY'S DEGRADATION FEE SCHEDULE AND RESTORATION SPECIFICATION. RESTORATION LIMITS AND DEGRADATION FEES WILL BE DEFINED IN THE FIELD BASED ON EXTENT OF IMPACT. DEGRADATION FEES ARE GRADUATED BASED ON AREA OF IMPACT AND THE AGE OF THE CURRENT ROADWAY SURFACE TREATMENT. FOR A MORE DETAILED EXPLANATION OF THESE FEES AND HOW THEY ARE CALCULATED, PLEASE CONTACT CITY RIGHT-OF-WAY MANAGEMENT AT 385-5977.

-E. VERMIJO AV IS PLANNED FOR 2C OVERLAY IN 2024. IF INFRASTRUCTURE CONSTRUCTION, STORM SEWER, OR UTILITY TIE-IN WORK IMPACTING E. VERMIJO AV IS ABLE TO BE COMPLETED PRIOR TO OR EARLY IN THE 2024 SEASON, PLEASE CONTACT ME DIRECTLY TO DISCUSS IMPACTS OR SCHEDULE.

-IF AFTER THE 2024 PAVING SEASON, E. VERMIJO AV WILL BE UNDER MORATORIUM THRU 2029. IF INFRASTRUCTURE CONSTRUCTION, STORM SEWER, OR UTILITY TIE-IN WORK IMPACTS E. VERMIJO AV, DEVELOPER NEEDS TO BE FAMILIAR WITH THE CITY'S DEGRADATION FEE SCHEDULE AND RESTORATION SPECIFICATION. RESTORATION LIMITS AND DEGRADATION FEES WILL BE DEFINED IN THE FIELD BASED ON EXTENT OF IMPACT. DEGRADATION FEES ARE GRADUATED BASED ON AREA OF IMPACT AND THE AGE OF THE CURRENT ROADWAY SURFACE TREATMENT. FOR A MORE DETAILED EXPLANATION OF THESE FEES AND HOW THEY ARE CALCULATED, PLEASE CONTACT CITY RIGHT-OF-WAY MANAGEMENT AT 385-5977.



**ELEVATION** 



N.T.S.

N.T.S.

**ELEVATION** 

FENCE (REFER TO 07/SHEET 5 FOR DESIGN OF FENCE) Y HIGH STAGE NEW CONCRETE SIDEWALK NEW 15'-0" WYDE GATE WITH KNOX BOX REFER TO ELEVATION 07/SHEET NEW DRIVEWAY

SITE PLAN

**EXISTING** 

NEW 4'-0" HIGH

PEDESTRIAN RAMP

5 FOR GATE DESIGN)

APRON TO MATCH COLORADO SPRINGS STANDARD DETAIL D-16B

NEW 15'-0" WIDE GATE

5 FOR GATE DESIGN)

WITH KNOX BOX (REFER

TO ELEVATION 07/SHEET

REFER TO SHEET 5

NEW CONCRETE SIDEWALK

> NEW CONCRE CURB TO MATCH ADJACENT CURBS

NEW 4'-0" HIGH FENCE (REFER 07/ SHEET 5 FOR

N 89°58'39" E 105.08'

DESIGN OF FENCE) PROPOSED BIKE-

PUEBLO AVE

RACKS

EXISTING SIDEWALK

TO REMAIN

CONC. D/W

CONC. S/W

DAID DADIKIO

SCALE:

OF 8 SHEETS



SITE ADDRESS: 106 PUEBLO AVE. COLORADO SPRINGS, CO 80903

OWNER:

25 N SPRUCE ST STE 330 COLORADO SPRINGS, CO 80905

APPLICANT:

DESIGNS 219 WEST COLORADO AVE. SUITE 308 COLORADO SPRINGS, CO. 719-634-3600 719-634-2239

TAX SCHEDULE: 6418409003

PRE APP #: MPF-21-084

LOT SIZE: .126 ACRES BUILDING COVERAGE: 44.3%

LOT COVERAGE: 69%

EXISTING SQ FT: 2,444 SF

NEW SQ FT: 2,444 SF

PATIO SQ FT: 3,339 SF

DATE: 03/23/2022

SHEET#

OF 8 SHEETS

FILE NO: CPC CU 22-00062

1/64" = 1'-0"

1ST FLOOR RESTAURANT OUTSIDE WEST YARD OUTSIDE SOUTH YARD TOTAL DEDICATED PARKING SPOTS TOTAL DEDICATED HANDICAP SPOTS TOTAL AVAILABLE STREET PARKING SPOTS

106 PUEBLO AVE. PARKING CALCULATION

RATIO-

250

500

PARKING STALLS

7.4

3.59

1.782

195

195

SIZE OF USE


1,850

1,797

TOTAL REQUIRED

TOTAL PROVIDED

ON STREET PARKING CALCULATIONS FOR 1.5 MIN CLASSIFICATION AVAILABLE A- PUEBLO AVE. B- E. VERMIJO AVE C- NEVADA AVE. D- E. COSTILLA ST. 23 E- S. WEBER ST. TOTAL AVAILABLE 225



SITE ADDRESS:

OWNER: 25 N SPRUCE ST

106 PUEBLO AVE.

COLORADO SPRINGS, CO 80903

STE 330 COLORADO SPRINGS, CO 80905



TAX SCHEDULE: 6418409003 PRE APP #: MPF-21-084

LOT SIZE: .126 ACRES

LOT COVERAGE: 69%

EXISTING SQ FT: 2,444 SF

BUILDING COVERAGE: 44.3%

NEW SQ FT: 2,444 SF

PATIO SQ FT: 3,339 SF

DATE: 03/23/2022

SHEET#

OF 8 SHEETS

FILE NO: CPC CU 22-00062



PROPOSED SITE RENDERING

N.T.S.

PROPOSED SITE RENDERING



PROPOSED INTERIOR RENDERING

PROPOSED SITE RENDERING

PROPOSED SITE RENDERING

PROPOSED INTERIOR RENDERING

N.T.S.


Where there is more than one driveway on a lot, 30' of full curb shall be provided Where an existing sidewalk is in place, and its thickness is less than 6" (residential) or 8"(commercial, industrial, or alley) the the sidewalk through the driveway shall be removed and replaced with Portland Cement Concrete, 6" (residential) or 8" (commercial)

service, the entire length of curb and gutter (variable—curb—height) shall be removed and replaced with new curb and gutter. Do variable-curb-height curb and gutter.

> CITY OF COLORADO SPRINGS Standard Driveway with Detached Walk


CMU BLOCK WALL — STAINED WOOD — PANEL STAINED WOOD PANEL -4'-0" 10'-2 1/2" 4'-0" 5'-1 1/2" TYPICAL FENCE TRASH ENCLOSURE PEDESTRIAN GATE FOOD TRUCK GATE

> ELEVATION @ TRASH ENCLOSURE/FENCE 3/8" = 1'-0"




ELEVATION @ TRASH ENCLOSURE

3/8" = 1'-0"



--- PROPERTY OR ---EASEMENT LINE





GROUND PLANE SCHEDULE		
GROUND COVERS	SQ.FT.	NOTES
	2,830	Existing Concrete To Remain
✓	1,870	Proposed Concrete

## CONDITIONAL USE LANDSCAPE PLAN

SITE ADDRESS:

106 PUEBLO AVE. COLORADO SPRINGS, CO 80903

OWNER:

25 N SPRUCE ST STE 330 COLORADO SPRINGS, CO 80905

APPLICANT:



TAX SCHEDULE: 6418409003

PRE APP #: MPF-21-084

LOT SIZE: .126 ACRES

BUILDING COVERAGE: 44.3%

LOT COVERAGE: 69%

//OTING GO ET G / / / OF

EXISTING SQ FT: 2,444 SF

NEW SQ FT: 2,444 SF

PATIO SQ FT: 3,339 SF

IO SQ F1: 3,339 SF


DATE: 3/23/2022

Revision #1: 7/01/2022

SHEET#

6

OF 8 SHEETS



2. CONTRACTOR SHALL PROVIDE ALL LABOR, MATERIALS, TOOLS AND SERVICE NECESSARY TO FURNISH AND INSTALL ALL WORK SPECIFIED AND AS SHOWN ON THESE

3. NO MATERIAL SUBSTITUTIONS SHALL BE MADE WITHOUT OWNER'S REPRESENTATIVE'S APPROVAL. ALTERNATE MATERIALS OF SIMILAR SIZE AND CHARACTER MAY BE CONSIDERED IF SPECIFIED PLANT MATERIALS CANNOT BE OBTAINED. OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO REVISE PLANT LIST AS DEEMED NECESSARY.

4. THE SHOWN UTILITY LOCATIONS ARE APPROXIMATE. CONTRACTOR SHALL LOCATE ALL UTILITIES BEFORE WORK. LOCATE EXACT UTILITY LOCATIONS BY CONTACTING "CALL BEFORE YOU DIG" AT (800) 922-1987. THE CONTRACTOR IS RESPONSIBLE FOR THE REPAIR OF ANY DAMAGE CAUSED TO UTILITIES.

5. AN EVENLY PLACED LAYER OF GRAVEL MULCH, COBBLE MULCH, OR BREEZE SHALL BE PLACED ON ALL AREAS DESIGNATED TO RECEIVE THE SPECIFIED MULCH. MINIMUM DEPTHS SHALL BE ACHIEVED IN ACCORDANCE TO THE SCHEDULE BY THE TYPE OF MULCH. WEED BARRIER FABRIC SHALL BE COMPLETELY COVERED AND PINNED. 6. AN EVENLY PLACED LAYER OF ORGANIC MULCH SHALL BE PLACED ON ALL AREAS DESIGNATED TO RECEIVE ORGANIC MULCH. ORGANIC MULCH SHALL BE APPLIED

DIRECTLY TO TILLED, SCARIFIED, AMENDED AND UNCOMPACTED SOIL. THE LANDSCAPE CONTRACTOR SHALL SUPPLY OWNER'S REPRESENTATIVE WITH A SAMPLE OF ALL TYPES OF MULCH FOR APPROVAL PRIOR TO INSTALLATION.

8. POROUS WEED BARRIER FABRIC SHALL BE INSTALLED IN ALL PLANTING BEDS ONLY IN LOCATIONS WHERE ORGANIC MULCH IS NOT PRESENT. 9. WEED BARRIER SHALL BE A WOVEN, POROUS MAT AS MANUFACTURED BY AMERICAN EXCELSIOR POLYSPUN XL, DUPONT TYPAR STYLE 3341 OR MIRAFI "MIRASCAPE". THE

WEED BARRIER SHALL BE INSTALLED AS PER MANUFACTURER'S RECOMMENDATIONS ALL WEED BARRIER SHALL BE COMPLETELY COVERED BY BREEZE. 10. 4" HEIGHT BY 3/16" WIDTH STEEL EDGING SHALL BE USED TO SEPARATE ALL PLANTING BEDS FROM TYPE 1 AND TYPE 2 TURF. PLACE EDGING FLUSH WITH GRADE. AVOID BROKEN BACK CURVES AND LONG TANGENTS BETWEEN CURVES. OBTAIN OWNER'S REPRESENTATIVE'S APPROVAL PRIOR TO INSTALLATION. 11. ALL EXISTING TOP SOIL IS TO BE STRIPPED AND STOCKPILED FOR USE IN PROPOSED LANDSCAPE. SEE CIVIL DRAWING FOR TOPSOIL PLACEMENT

12. CONTRACTOR IS RESPONSIBLE FOR MAINTAINING EXISTING EROSION CONTROL MEASURES AS PER THE CITY OF COLORADO SPRINGS SPECIFICATIONS DURING THE DURATION OF WORK ON-SITE.

13. CONTRACTOR SHALL PROVIDE 4" OF TOPSOIL AT ALL SOD AND PLANTING AREAS. GRADE SHALL BE ADJUSTED FOR SOD THICKNESS. LANDSCAPE CONTRACTOR SHALL PERFORM ALL FINISH GRADING.

14. FOR PROPOSED SITE GRADING, SEE GRADING PLAN.

15. CULTIVATE THE SUBSOIL ON ALL PLANTING BEDS AND SOD AREAS TO A DEPTH OF 12".

PROJECT. THE CONTRACTOR SHALL SUPPLY ENOUGH WATER TO MAINTAIN THE PLANT'S HEALTHY CONDITION.

16. ALL PLANT MATERIALS SHALL HAVE BACKFILL CAREFULLY PLACED AROUND THE BASE AND SIDES OF BALL TO TWO-THIRDS (2/3) DEPTH OF THE BALL, THEN THOROUGHLY SOAK WITH WATER TO ALLOW SETTLEMENT. ALL WIRE, BURLAP FASTENERS AND LOOSE BURLAP AROUND BASE OF TRUNK SHALL BE REMOVED AT THIS TIME. REMAINDER OF PIT SHALL THEN BE BACKFILLED, ALLOWING FOR DEPTH OF MULCH, SAUCER AND SETTLEMENT OF BACKFILL. BACKFILL SHALL THEN BE THOROUGHLY WATERED AGAIN. 17. ALL SHRUBS AND TREES SHALL BE PLANTED A MINIMUM OF 12" INSIDE OF ALL EDGING AND AWAY FROM WALLS AND OTHER PERMANENT STRUCTURES.

18. ALL PLANT LOCATIONS ARE APPROXIMATE; ADJUST AS NECESSARY TO AVOID CONFLICTS. OBTAIN OWNER'S REPRESENTATIVE'S APPROVAL OF LOCATIONS PRIOR TO PLANTING TREES AND SHRUBS.

19. QUANTITIES OF MATERIALS SHOWN ON THE PLANTING PLAN TAKE PRECEDENCE OVER QUANTITIES SHOWN ON THE PLANT MATERIAL SCHEDULE. LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL QUANTITIES ON THE PLANTING PLAN. REPORT ANY DISCREPANCIES IN THE PLANTING PLAN IMMEDIATELY TO THE OWNER'S REPRESENTATIVE.

20. ALL PLANT MATERIAL SHALL BE WELL-FORMED AND DEVELOPED IN GOOD CONDITION, HEALTHY AND DISEASE-FREE, AND BE TYPICAL OF THE SPECIES. PLANTS SHALL COMPLY IN ALL APPLICABLE RESPECTS WITH ACCEPTABLE STANDARDS AS SET FORTH IN THE COLORADO NURSERY ACT OF 1965 - TITLE 35, ARTICLE 25, CRS 1974 (SEE LANDSCAPE THE NURSERY ACT). OWNER AND OWNER'S REPRESENTATIVE RESERVES THE RIGHT TO REJECT AT ANY TIME OR PLACE PRIOR TO FINAL ACCEPTANCE OF WORK, ANY AND ALL PLANTS WHICH, IN THEIR OPINION, FAIL TO MEET THESE SPECIFICATION REQUIREMENTS.

21. PLANTS ARE TO BE SIZED AS SHOWN PER SPECIES ON THE PLANT SCHEDULE. 22. THE CONTRACTOR SHALL PROVIDE ALL WATER, WATERING DEVICES AND LABOR NEEDED TO IRRIGATE PLANT MATERIALS UNTIL PROVISIONAL ACCEPTANCE OF THE

23. ALL PLANT MATERIALS SHALL BE PROTECTED FROM THE DRYING ACTION OF THE SUN AND WIND AFTER BEING DUG, WHILE BEING TRANSPORTED. AND WHILE AWAITING PLANTING. BALLS OF PLANTS THAT CANNOT BE PLANTED IMMEDIATELY SHALL BE PROTECTED FROM DRYING ACTION BY COVERING THEM WITH MOIST MULCH. PERIODICALLY, APPLY WATER TO MULCH-COVERED BALLS TO KEEP MOIST. IF PLANTING SHOULD OCCUR DURING GROWING SEASON, APPLY ANTI-DESSICANT TO LEAVES BEFORE TRANSPORT TO REDUCE LIKELIHOOD OF WINDBURN. REAPPLY ANTI-DESSICANT AFTER PLANTING TO REDUCE TRANSPIRATION.

24. WRAP ALL TREE TRUNKS SPIRALLY WITH APPROVED WRAPPING MATERIAL FROM GROUND TO THE FIRST BRANCH. SECURELY TIE WRAPPING AT THE TOP AND BOTTOM WITH MASKING TAPE. TREES SHALL BE SUPPORTED IMMEDIATELY AFTER PLANTING IN THE MANNER SHOWN ON THE PLANTING DETAILS.

25. AFTER PLANTING IS COMPLETED, REPAIR INJURIES TO ALL PLANTS AS REQUIRED. LIMIT AMOUNT OF PRUNING TO A MINIMUM NECESSARY TO REMOVE DEAD OR INJURED TWIGS AND BRANCHES. PRUNE IN SUCH A MANNER AS NOT TO CHANGE NATURAL HABIT OR SHAPE OF PLANT. CENTRAL LEADERS SHALL NOT BE REMOVED.

26. FINE GRADE SOD AND SEED AREAS TO ELIMINATE IRREGULARITIES ON THE SURFACE. ROLL OR PERFORM ADDITIONAL FINE GRADING

27. ROLL SOD AFTER INSTALLATION TO ENSURE ROOTS ARE IN CONTACT WITH THE SOIL SURFACE. IMMEDIATELY BEGIN WATERING OF SODDED AREAS.

28. CONTRACTOR TO REMOVE TREE STAKES, TREE WRAP, AND ALL DEAD WOOD ON TREES AND SHRUBS ONE YEAR AFTER THE COMMENCEMENT OF THE PLANTING

29. AT THE COMPLETION OF PLANTING OPERATIONS ALL PLANTS SHALL BE INSPECTED BY THE OWNER AND OWNER'S REPRESENTATIVE. CONTRACTOR SHALL REPLACE IMMEDIATELY ANY PLANTS NOT IN HEALTHY AND VIGOROUS CONDITION AT THAT TIME AT NO EXPENSE TO THE OWNER. ANY PLANT NOT IN HEALTHY CONDITION DURING THE ONE-YEAR WARRANTY PERIOD SHALL BE REPLACED AS PER THE ORIGINAL SPECIFICATIONS, FREE OF CHARGE TO THE OWNER.

30. REMOVE ALL RUBBISH, EQUIPMENT AND MATERIAL AND LEAVE THE AREA IN A NEAT, CLEAN CONDITION EACH DAY. MAINTAIN PAVED AREAS UTILIZED FOR HAULING EQUIPMENT AND MATERIALS BY OTHER TRADES IN A CLEAN AND UNOBSTRUCTED CONDITION AT ALL TIMES.

31. THE FINISH GRADES AS SHOWN ON CIVIL CONSTRUCTION DRAWINGS SHALL PROVIDE POSITIVE DRAINAGE AWAY FROM WALLS AND BUILDINGS 32. THE TILLING OF PLANTING BEDS AND PLACEMENT OF BACKFILL IS TO OCCUR JUST PRIOR TO PLANTING; THEREAFTER, PROTECTION FROM COMPACTION AND CONSTRUCTION TRAFFIC SHOULD BE GIVEN.

33. 24 HOURS PRIOR TO PLANTING ALL PLANT MATERIAL. CONTRACTOR SHALL NOTIFY THE OWNER'S REPRESENTATIVE TO INSPECT AND APPROVE THE PLANT LAYOUT

34. IRRIGATION WILL BE PROVIDED TO ALL SHRUBS AND PERENNIALS VIA DRIP IRRIGATION. IRRIGATION WILL BE PROVIDED TO ALL AREAS OF TURFGRASS VIA SPRAY IRRIGATION.

35. MITIGATION OF EXISTING TREES MAY OCCUR WITHIN THE FLOODPLAIN OF THE SITE FOR SAFETY REASONS. TO ENSURE THE SAFETY OF THE USERS OF THE AREA, WEAK-WOODED PLANT MATERIAL AND DEAD/DYING PLANTS MAY BE REMOVED.

36. STREET TREES AND STREETSCAPE IMPROVEMENTS WITHIN THE PUBLIC RIGHT-OF-WAY SHALL BE OWNED BY THE CITY OF COLORADO SPRINGS, BUT MAINTAINED BY THE ABUTTING PROPERTY OWNER.

37. LANDSCAPE IMPROVEMENTS AND MAINTENANCE SHALL BE THE RESPONSIBILITY OF OWNER, AND/OR THEIR ASSIGNS. 38. ALL STREET TREES AND STREETSCAPE IMPROVEMENTS LOCATED IN THE ROW WILL BE MAINTAINED BY ABUTTING PROPERTY OWNER

39. A FINAL LANDSCAPE AND IRRIGATION PLAN SHALL BE SUBMITTED AND REVIEWED CONCURRENT WITH BUILDING PERMIT SUBMITTAL AND APPROVED PRIOR TO ISSUANCE

1. MARK THE NORTH SIDE OF TREE IN THE NURSERY, AND ROTATE TREE TO FACE NORTH AT THE SITE


2. AT TIME OF PLANTING, DO NOT REMOVE OR CUT LEADER AND PRUNE ONLY DEAD OR BROKEN BRANCHES, CROSS OVER BRANCHES, AND WEAK OR NARROW CROTCHES. SOME INTERIOR TWIGS AND LATERAL BRANCHES MAY BE PRUNED. HOWEVER, DO NOT REMOVE THE TERMINAL BUDS OF BRANCHES THAT EXTEND TO THE EDGE OF THE CROWN.

3. STRUCTURAL PRUNING SHOULD NOT BEGIN UNTIL AFTER ESTABLISHMENT PERIOD, USUALLY TWO GROWING SEASONS 4. KEEP PLANTS MOIST AND SHADED UNTIL PLANTING.

DO NOT FERTILIZE FOR AT LEAST ONE GROWING SEASON.

8. AMENDED BACKFILL SHALL BE 1/3 COMPOST (PREFERABLY CLASSIFIED) AND 2/3 NATIVE AND/OR IMPORTED TOPSOIL. 7. WRAP TRUNK ON EXPOSED SITES AND SPECIES WITH THIN BARK. USE ELECTRICAL OR DUCT TAPE, NOT TWINE.

COORDINATE WITH CITY FORESTRY FOR CURRENT INSECT AND DISEASE RECOMMENDATIONS PRIOR TO PLANTING. 9. DEEP WATER ALL PLANTS AT TIME OF PLANTING.




Disclaimer: These planting details are for City review and approval process only and shall not be used for construction or bidding purpose **DECIDUOUS TREE PLANTING DETAIL SECTION NOT TO SCALE** 

1. DO NOT REMOVE OR CUT LEADER. 2 PRUNE ONLY DEAD OR BROKEN BRANCHES IMMEDIATELY PRIOR TO PLANTING. 3. DO NOT REMOVE ANY DOUBLE LEADER, UNLESS OTHERWISE DIRECTED BY OWNERS REPRESENTATIVE.

4. KEEP PLANTS MOIST AND SHADED UNTIL PLANTING.

5. AMENDED BACKFILL SHALL BE 1/3 COMPOST (PREFERABLY CLASSIFIED) AND 2/3 NATIVE AND/OR IMPORTED TOPSOIL. 6. MARK THE NORTH SIDE OF TREE IN THE NURSERY, AND ROTATE TREE TO FACE NORTH AT THE SITE WHENEVER POSSIBLE. 7. PINE AND SPRUCE TREES TO BE SPRAYED FOR IPS BARK BEETLE PRIOR TO PLANTING. COORDINATE WITH CITY FORESTRY

FOR CURRENT INSECT AND DISEASE RECOMMENDATIONS PRIOR TO PLANTING. 8. ALL TREES TO BE DEEP WATERED AT TIME OF PLANTING.



**B**1

Disclaimer: These planting details are for City review and approval process only and shall not be used for construction or bidding purpo **EVERGREEN TREE PLANTING DETAIL** 

NOT TO SCALE


**SECTION** 

1. KEEP PLANTS MOIST AND SHADED UNTIL PLANTING. 2. PLANT GROUND COVERS AND PERENNIALS LEVEL AND AT GRADE.

3. PRUNE ALL DEAD OR BROKEN PARTS PRIOR TO PLANTING.

4. AMENDED BACKFILL SHALL BE 1/3 COMPOST (PREFERABLY CLASSIFIED) AND 2/3 NATIVE AND/OR IMPORTED TOPSOIL.

5. ALL PERENNIALS PLANTED IN ROCK MULCH AREAS TO HAVE ORGANIC MULCH RINGS AROUND THE BASE OF THE PLANT.





Rev: 11.13.08

### PERENNIAL/GROUNDCOVER PLANTING DETAIL

Disclaimer: These planting details are for City review and approval process only and shall not be used for construction or bidding purpose

**NOT TO SCALE** 


**SECTION** 

1. PRUNE ONLY DEAD OR BROKEN BRANCHES AND WEAK OR NARROW CROTCHES. 2. KEEP PLANTS MOIST AND SHADED UNTIL PLANTING.

3. DO NOT FERTILIZE FOR AT LEAST ONE GROWING SEASON.

4. AMENDED BACKFILL SHALL BE 1/3 COMPOST (PREFERABLY CLASSIFIED) AND 2/3 NATIVE AND/OR IMPORTED TOPSOIL. 5. ALL SHRUBS IN ROCK AREAS TO RECEIVE SHREDDED MULCH RINGS.

6. DEEP WATER ALL PLANTS AT TIME OF PLANTING.



Rev: 11.13.08 Disclaimer: These planting details are for City review and approval process only and shall not be used for construction or SHRUB PLANTING DETAIL

**NOT TO SCALE** 

**SECTION** 

K9Grass<sup>®</sup> K9Grass System Installed over soil with softscape and hardscape edges Proprietary knitted Flow-Through Backing™ Stainless Softscape steel staples K9Grass by Stainless stee surface staples ForeverLawn i.e. large decorative stones Grass blades are knitted creating a mesh backing Typically 1" narrow crown Hardscape edge ---Concrete sidewalk, curb, pavers, etc. Plastic 2x2 Typically recessed 1/2" from adjacent walking surfaces Allows liquids tò percolate Concrete anchor Highly drainable aggregate Rebar 3/8"-1/2" angular stone Holds the board into place Typical depth of 3"-4" Typically plastic 2x4 K. Karmie 10/20 866.992.7876 • foreverlawn.com Fore er Lawn Not to scale 8007 Beeson St., Louisville, OH 44641

C1 Artificial Turf

NTS



microsite.caddetails.com/1148

Bike Rack

C3 Tournesol-Boulevard Planter 07 BV-963030 FRP/WOOD 96"X30"X30"

https://www.tournesol.com/products/product/boulevard-wood-planters

CITY STAMP:

SITE ADDRESS:

106 PUEBLO AVE. **COLORADO SPRINGS** CO 80903

OWNER:

25 N SPRUCE ST STE 330 **COLORADO SPRINGS** CO 80905

**APPLICANT:** 



TAX SCHEDULE: 6418409003

PRE APP #: MPF-21-084 LOT SIZE: .126 ACRES

**LOT COVERAGE: 69%** 

**BUILDING COVERAGE: 44.3%** 

**EXISTING SQ FT: 2,444 SF** 

NEW SQ FT: 2,444 SF

PATIO SQ FT: 3,339 SF

DATE: 3/23/2022 Revision #1: 7/01/2022

SHEET#

OF 8 SHEETS

