



1845 Deer Creek Rd - PO Box 1007
 Monument, CO 80132
 Office (719) 488-2236
 Fax (719) 488-0038
 Toll Free (800) 291-2236
 www.clearview-windows.com

DATE: August 29, 2023

QUOTATION
 AND ORDER
 APPROVAL

PO: RO

BILL TO: Day Residents
1716 N. Nevada Ave
Colorado Springs Co. 80907

SHIP TO: Day Residents
1716 N. Nevada Ave
Colorado Springs Co. 80907

CONTACT: Trish Day
 PHONE: (719)330-5270 PHONE ALT: _____

EMAIL: patriciaaday@yahoo.com

SALES REPRESENTATIVE: Wes J

LEAD SOURCE: _____

TAX RATE: **8.200%**

INSTALL	TRIM	UNIT TYPE	GLAZING	GRILLES	FINISH / COLOR	JAMB WIDTHS
Nail Fin:	Interior: x	Dh	Low E 3	yes	Exterior: Cashmere	tbd
Insert:	Exterior: x				Interior: White	
	Other:				Notes:	

QUOTE #	MANUFACTURER	DESCRIPTION	COST
M46FZ7Y	Marvin	Elevate Windows For upstairs of house per request	\$18,231.77
		*Allow 5% retention on final payment for backordered screens as applicable	
		Shop supplies	5 \$50.00
		Delivery	\$250.00
		Installation	\$4,447.50

<i>Included in agreement, unless noted above:</i>	Removal of existing windows/doors, installation of quoted products, removal and disposal of debris, removal of stickers.	Subtotal	\$18,231.77
		Sales Tax	\$1,495.01
<i>Not included in agreement, unless noted above:</i>	Paint, stain, dry wall installation, repair of stucco, siding, or drywall, rerouting of electrical or plumbing, replacement of interior or exterior trim, removal or replacement of furniture, removal or replacement of blinds or other window treatments.	Non-taxable	\$4,697.50
		Total	\$24,424.28
TERMS: Quotation is good for 30 days. All product types, glazing, color, quantities, and accessories must be verified by the Purchaser and accuracy is the responsibility of the Purchaser. Clearview is responsible for the correct sizing of the windows/doors only if installed by Clearview. Change orders must be submitted within 24 hours (1 business day) of original order placement. Windows, doors, and other special-order items are non-cancelable and non-refundable after 1 business day, unless approved by the Manufacturer. Product representations and warranties are the sole responsibility of the manufacturer. Clearview Distributors is not authorized to modify any product representations and/or warranties provided by the manufacturer. CLEARVIEW MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE OR OF ANY OTHER NATURE, OR GUARANTEE, EXPRESS OR IMPLIED. Clearview warrants for a period of one year from completion of Installation performed by Clearview that the Installation will be free from defects due to workmanship by Clearview or its subcontractors. Defects in workmanship must be reported to Clearview within 30 days of the purchaser becoming aware of the defect in workmanship or should have become aware. Defects in workmanship accepted by Clearview will be repaired or remedied by Clearview at its expense. After new windows and/or doors are installed, existing blinds or other window treatments may not fit. Clearview does not warrant that existing blinds and window treatments can be reused after the new windows/doors are installed.		Deposit	\$12,212.14
		Balance	\$12,212.14
		Payment Terms: Deposit noted above payable at time of signing order Balance due upon delivery if supply only, otherwise upon completion of installation. Late payments will be assessed a 1 1/2% per month late payment charge. In the event of non payment customer will pay all costs of collection, including reasonable attorney fees and costs	

I HAVE REVIEWED THE ABOVE AND AGREE THAT THE PRODUCTS ARE CORRECT AS SHOWN. I AGREE TO THE TERMS AND PAYMENT TERMS. I UNDERSTAND THAT NO PRODUCTS ORDERED CAN BE CANCELLED OR RETURNED. I AUTHORIZE CLEARVIEW TO ORDER THE PRODUCTS INCLUDED IN THIS QUOTATION AND TO INSTALL THE PRODUCTS, IF INSTALLATION IS INCLUDED IN THE QUOTATION.

Customer Signature _____

Date _____

If you sign this contract in your home, you may cancel this contract within three business days of the signature date. You must advise Clearview Distributors in writing of your decision to cancel. If you sign this contract in your home, the products will not be ordered until three business days have passed from the signature date and any required deposit has been made. Initial and date if signed in home. Initial: _____ Date: _____

Day New Project 1

Quote #: M46FZ7Y

A Proposal for Window and Door Products prepared for:

Shipping Address:

CLEARVIEW DISTRIBUTORS-CIR
1845 Deer Creek Rd
Monument, CO 80132-9051

Featuring products from:

MARVIN 

WES JORDAN
CLEARVIEW DISTRIBUTORS-CIR
PO Box 1007
Monument, CO 80132-1007
Phone: (719) 488-2236

Email: wjordan@clearview-windows.com

This report was generated on 8/29/2023 2:46:13 PM using the Marvin Order Management System, version 0004.04.00 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.


NUMBER OF LINES: 8 TOTAL UNIT QTY: 11 EXT NET PRICE: USD 18,231.77

LINE	MARK UNIT	PRODUCT LINE	ITEM	NET PRICE	QTY	EXTENDED NET PRICE
1	Master Bed	Elevate	Double Hung Insert IO 41" X 63"	1,625.78	3	4,877.34
2	Bed 1	Elevate	Double Hung Insert IO 33" X 63"	1,571.90	1	1,571.90
3	Bed 1	Elevate	Double Hung Insert IO 41" X 63"	1,787.39	1	1,787.39
4	Bed 2	Elevate	Double Hung Insert IO 29" X 63"	1,493.98	2	2,987.96
5	Bed 2	Elevate	Double Hung Insert IO 35" X 63"	1,676.76	1	1,676.76
6	Laundry	Elevate	Double Hung Insert IO 29" X 63"	1,255.40	1	1,255.40
7	Stairs	Elevate	Double Hung Insert IO 33" X 72"	1,873.97	1	1,873.97
8	Hidden room	Elevate	Double Hung Insert IO 35" X 63"	2,201.05	1	2,201.05

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit: Master Bed	Net Price:		1,625.78
Qty: 3		Ext. Net Price:	USD	4,877.34



As Viewed From The Exterior

FS 40 5/8" X 63 3/8"
IO 41" X 63"
Egress Information
 Width: 36 31/32" Height: 26 13/64"
 Net Clear Opening: 6.73 SqFt
Performance Information
 U-Factor: 0.27
 Solar Heat Gain Coefficient: 0.18
 Visible Light Transmittance: 0.41
 Condensation Resistance: 42
 CPD Number: MAR-N-424-00773-00001
 ENERGY STAR: N, NC, SC, S
Performance Grade
 Licensee #1123
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 1067X2146 mm (42X84.5 in)
 LC-PG40 DP +40/-40
 FL6525

Cashmere Exterior
 White Interior
 Elevate Double Hung Insert
 Inside Opening 41" X 63"
 8 Degree Frame Bevel
 Glass Add For All Sash
 Top Sash
 Cashmere Exterior
 White Interior
 IG
 Low E3/ERS
 Capillary Tube
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Cottage 5W1H
 6 Rect Lites
 9 1/2" DLO Height
 Cashmere Ext - White Int

Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.

Bottom Sash
 Cashmere Exterior
 White Interior
 IG - 1 Lite
 Low E3/ERS
 Capillary Tube
 Stainless Perimeter Bar
 White Weather Strip Package
 1 White Sash Lock
 Exterior Aluminum Screen
 Cashmere Surround
 Bright View Mesh
 ***Screen/Combo Ship Loose
 3 1/4" Jamb
 Thru Jamb Installation
 Existing Sill Angle 8
 ***Note: Units with Capillary tubes will not have Argon gas.
 ***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
 ***Note: Unit Availability and Price is Subject to Change

Initials required


Seller: _____

Buyer: _____

Line #2	Mark Unit: Bed 1	Net Price:		1,571.90
Qty: 1		Ext. Net Price:	USD	1,571.90



Cashmere Exterior
 White Interior
 Elevate Double Hung Insert
 Inside Opening 33" X 63"
 8 Degree Frame Bevel
 Glass Add For All Sash
 Top Sash



As Viewed From The Exterior

FS 32 5/8" X 63 3/8"

IO 33" X 63"

Egress Information

Width: 28 31/32" Height: 26 13/64"

Net Clear Opening: 5.27 SqFt

Performance Information

U-Factor: 0.31

Solar Heat Gain Coefficient: 0.19

Visible Light Transmittance: 0.42

Condensation Resistance: 53

CPD Number: MAR-N-424-00769-00001

ENERGY STAR: S

Performance Grade

Licensee #1123

AAMA/WDMA/CSA/101/ I.S.2/A440-08

LC-PG40 1067X2146 mm (42X84.5 in)

LC-PG40 DP +40/-40

FL6525

- Cashmere Exterior
- White Interior
- IG
- Tempered Low E3
- Capillary Tube
- Stainless Perimeter and Spacer Bar
- 7/8" SDL - With Spacer Bar - Stainless
- Cottage 4W1H
- 5 Rect Lites
- 10" DLO Height
- Cashmere Ext - White Int

Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.


- Bottom Sash
- Cashmere Exterior
- White Interior
- IG - 1 Lite
- Tempered Low E3
- Capillary Tube
- Stainless Perimeter Bar
- White Weather Strip Package
- 1 White Sash Lock
- Exterior Aluminum Screen
- Cashmere Surround
- Bright View Mesh
- 3 1/4" Jamb
- Thru Jamb Installation
- Existing Sill Angle 8
- ***Note: Units with Capillary tubes will not have Argon gas.
- ***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
- ***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #3	Mark Unit: Bed 1	Net Price:		1,787.39
Qty: 1		Ext. Net Price:	USD	1,787.39



As Viewed From The Exterior

FS 40 5/8" X 63 3/8"

IO 41" X 63"

Egress Information

Width: 36 31/32" Height: 26 13/64"

Net Clear Opening: 6.73 SqFt

Performance Information

- Cashmere Exterior
- White Interior
- Elevate Double Hung Insert
- Inside Opening 41" X 63"
- 8 Degree Frame Bevel
- Glass Add For All Sash
- Top Sash
- Cashmere Exterior
- White Interior
- IG
- Tempered Low E3
- Capillary Tube
- Stainless Perimeter and Spacer Bar
- 7/8" SDL - With Spacer Bar - Stainless
- Cottage 5W1H
- 6 Rect Lites
- 10" DLO Height
- Cashmere Ext - White Int

Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.

- Bottom Sash
- Cashmere Exterior
- White Interior
- IG - 1 Lite
- Tempered Low E3
- Capillary Tube
- Stainless Perimeter Bar

U-Factor: 0.31
 Solar Heat Gain Coefficient: 0.19
 Visible Light Transmittance: 0.42
 Condensation Resistance: 53
 CPD Number: MAR-N-424-00769-00001
 ENERGY STAR: S
Performance Grade
 Licensee #1123
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 1067X2146 mm (42X84.5 in)
 LC-PG40 DP +40/-40
 FL6525


White Weather Strip Package
 1 White Sash Lock
 Exterior Aluminum Screen
 Cashmere Surround
 Bright View Mesh
 3 1/4" Jambs
 Thru Jamb Installation
 Existing Sill Angle 8
 ***Note: Units with Capillary tubes will not have Argon gas.
 ***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
 ***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #4	Mark Unit: Bed 2	Net Price:		1,493.98
Qty: 2		Ext. Net Price:	USD	2,987.96



As Viewed From The Exterior

FS 28 5/8" X 63 3/8"
IO 29" X 63"
Egress Information
 Width: 24 31/32" Height: 26 13/64"
 Net Clear Opening: 4.54 SqFt
Performance Information
 U-Factor: 0.31
 Solar Heat Gain Coefficient: 0.19
 Visible Light Transmittance: 0.42
 Condensation Resistance: 53
 CPD Number: MAR-N-424-00769-00001
 ENERGY STAR: S
Performance Grade
 Licensee #1123
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 1067X2146 mm (42X84.5 in)
 LC-PG40 DP +40/-40
 FL6525

Cashmere Exterior
 White Interior
 Elevate Double Hung Insert
 Inside Opening 29" X 63"
 8 Degree Frame Bevel
 Glass Add For All Sash
 Top Sash
 Cashmere Exterior
 White Interior
 IG
 Tempered Low E3
 Capillary Tube
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Cottage 4W1H
 5 Rect Lites
 10" DLO Height
 Cashmere Ext - White Int

Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.


Bottom Sash
 Cashmere Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E3
 Capillary Tube
 Stainless Perimeter Bar
 White Weather Strip Package
 1 White Sash Lock
 Exterior Aluminum Screen
 Cashmere Surround
 Bright View Mesh
 3 1/4" Jambs
 Thru Jamb Installation
 Existing Sill Angle 8
 ***Note: Units with Capillary tubes will not have Argon gas.
 ***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
 ***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #5	Mark Unit: Bed 2	Net Price:		1,676.76
Qty: 1		Ext. Net Price:	USD	1,676.76



As Viewed From The Exterior

FS 34 5/8" X 63 3/8"
IO 35" X 63"
Egress Information
 Width: 30 31/32" Height: 26 13/64"
 Net Clear Opening: 5.63 SqFt
Performance Information
 U-Factor: 0.31
 Solar Heat Gain Coefficient: 0.19
 Visible Light Transmittance: 0.42
 Condensation Resistance: 53
 CPD Number: MAR-N-424-00769-00001
 ENERGY STAR: S
Performance Grade
 Licensee #1123
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 1067X2146 mm (42X84.5 in)
 LC-PG40 DP +40/-40
 FL6525

Cashmere Exterior
 White Interior
 Elevate Double Hung Insert
 Inside Opening 35" X 63"
 8 Degree Frame Bevel
 Glass Add For All Sash
 Top Sash
 Cashmere Exterior
 White Interior
 IG
 Tempered Low E3
 Capillary Tube
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Cottage 5W1H
 6 Rect Lites
 10" DLO Height
 Cashmere Ext - White Int

Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.

Bottom Sash
 Cashmere Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E3
 Capillary Tube
 Stainless Perimeter Bar
 White Weather Strip Package
 1 White Sash Lock
 Exterior Aluminum Screen
 Cashmere Surround
 Bright View Mesh
 3 1/4" Jambs
 Thru Jamb Installation
 Existing Sill Angle 8
 ***Note: Units with Capillary tubes will not have Argon gas.
 ***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
 ***Note: Unit Availability and Price is Subject to Change

Initials required


Seller: _____

Buyer: _____

Line #6	Mark Unit: Laundry	Net Price:		1,255.40
Qty: 1		Ext. Net Price:	USD	1,255.40



Cashmere Exterior
 White Interior
 Elevate Double Hung Insert
 Inside Opening 29" X 63"
 8 Degree Frame Bevel
 Glass Add For All Sash
 Top Sash
 Cashmere Exterior
 White Interior
 IG
 Low E3
 Capillary Tube
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless



As Viewed From The Exterior

FS 28 5/8" X 63 3/8"

IO 29" X 63"

Egress Information

Width: 24 31/32" Height: 26 13/64"

Net Clear Opening: 4.54 SqFt

Performance Information

U-Factor: 0.31

Solar Heat Gain Coefficient: 0.19

Visible Light Transmittance: 0.42

Condensation Resistance: 53

CPD Number: MAR-N-424-00769-00001

ENERGY STAR: S

Performance Grade

Licensee #1123

AAMA/WDMA/CSA/101/ I.S.2/A440-08

LC-PG40 1067X2146 mm (42X84.5 in)

LC-PG40 DP +40/-40

FL6525

Cottage 4W1H
 5 Rect Lites
 10" DLO Height
 Cashmere Ext - White Int

Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.

Bottom Sash
 Cashmere Exterior
 White Interior
 IG - 1 Lite
 Low E3
 Capillary Tube
 Stainless Perimeter Bar
 White Weather Strip Package
 1 White Sash Lock
 Exterior Aluminum Screen
 Cashmere Surround
 Bright View Mesh

3 1/4" Jambs

Thru Jamb Installation

Existing Sill Angle 8

***Note: Units with Capillary tubes will not have Argon gas.

***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.


***Note: Unit Availability and Price is Subject to Change

Initials required

Seller: _____

Buyer: _____

Line #7	Mark Unit: Stairs	Net Price:		1,873.97
Qty: 1		Ext. Net Price:	USD	1,873.97



As Viewed From The Exterior

FS 32 5/8" X 72 3/8"

IO 33" X 72"

Egress Information

Width: 28 31/32" Height: 30 45/64"

Net Clear Opening: 6.18 SqFt

Performance Information

U-Factor: 0.31

Solar Heat Gain Coefficient: 0.19

Visible Light Transmittance: 0.42

Cashmere Exterior
 White Interior
 Elevate Double Hung Insert
 Inside Opening 33" X 72"
 8 Degree Frame Bevel
 Glass Add For All Sash
 Top Sash
 Cashmere Exterior
 White Interior
 IG
 Tempered Low E3
 Capillary Tube
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Cottage 4W1H
 5 Rect Lites
 10" DLO Height
 Cashmere Ext - White Int

Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.


Bottom Sash
 Cashmere Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E3
 Capillary Tube
 Stainless Perimeter Bar
 White Weather Strip Package
 1 White Sash Lock

Condensation Resistance: 53
 CPD Number: MAR-N-424-00769-00001
 ENERGY STAR: S
Performance Grade
 Licensee #1123
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 1067X2146 mm (42X84.5 in)
 LC-PG40 DP +40/-40
 FL6525

Exterior Aluminum Screen
 Cashmere Surround
 Bright View Mesh
 3 1/4" Jamb
 Thru Jamb Installation
 Existing Sill Angle 8
 ***Note: Units with Capillary tubes will not have Argon gas.
 ***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
 ***Note: Unit Availability and Price is Subject to Change

Initials required
 Seller: _____
 Buyer: _____

Line #8	Mark Unit: Hidden room	Net Price:		2,201.05
Qty: 1		Ext. Net Price:	USD	2,201.05



As Viewed From The Exterior

FS 34 5/8" X 63 3/8"
IO 35" X 63"
Egress Information
 Width: 30 31/32" Height: 26 13/64"
 Net Clear Opening: 5.63 SqFt
Performance Information
 U-Factor: 0.33
 Solar Heat Gain Coefficient: 0.19
 Visible Light Transmittance: 0.42
 Condensation Resistance: 51
 CPD Number: MAR-N-424-00789-00002
 ENERGY STAR: S
Performance Grade
 Licensee #1123
 AAMA/WDMA/CSA/101/ I.S.2/A440-08
 LC-PG40 1067X2146 mm (42X84.5 in)
 LC-PG40 DP +40/-40
 FL6525

Cashmere Exterior
 White Interior
 Elevate Double Hung Insert
 Inside Opening 35" X 63"
 8 Degree Frame Bevel
 Glass Add For All Sash
 Top Sash
 Cashmere Exterior
 White Interior
 IG
 Tempered Low E3 Frost
 Capillary Tube
 Stainless Perimeter and Spacer Bar
 7/8" SDL - With Spacer Bar - Stainless
 Cottage 5W1H
 6 Rect Lites
 10" DLO Height
 Cashmere Ext - White Int
Divided Lite Options are inconsistent across the panels of this unit. Ensure the correct Divided Lite Types have been selected.
 Bottom Sash
 Cashmere Exterior
 White Interior
 IG - 1 Lite
 Tempered Low E3 Frost
 Capillary Tube
 Stainless Perimeter Bar
 White Weather Strip Package
 1 White Sash Lock
 Exterior Aluminum Screen
 Cashmere Surround
 Bright View Mesh
 3 1/4" Jamb
 Thru Jamb Installation
 Existing Sill Angle 8
 ***Note: Units with Capillary tubes will not have Argon gas.
 ***Note: Divided lite cut alignment may not be accurately represented in the OMS drawing. Please consult your local representative for exact specifications.
 ***Note: Unit Availability and Price is Subject to Change

Initials required
 Seller: _____
 Buyer: _____

Project Subtotal Net Price: USD	18,231.77
0.000% Sales Tax: USD	0.00
Project Total Net Price: USD	18,231.77

PRODUCT AND PERFORMANCE INFORMATION

NFRC energy ratings and values may vary depending on the exact configuration of glass thickness used on the unit. This data may change over time due to ongoing product changes or updated test results or requirements.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform national rating system for the energy performance of fenestration products, including windows and doors. For additional information regarding this rating system, see www.nfrc.org.

NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements.

PURCHASE APPROVAL/SIGN OFF

Project Subtotal Net Price: USD 18,231.77
0.000% Sales Tax: USD 0.00
Project Total Net Price: USD 18,231.77

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

BUYER:

Signature: _____

Title: _____

Date: _____

Seller: _____

Buyer: _____